

# SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y., as Second Class Matter. Copyright, 1899, by Munn & Co.]

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. LXXXI.—No. 13.  
ESTABLISHED 1845.

NEW YORK, SEPTEMBER 23, 1899.

[\$3.00 A YEAR.  
WEEKLY.]

## PLANT AND PROCESS FOR FIREPROOFING WOOD.

During the past year there were two tragic events, resulting from sudden and unexpected conflagrations, which made a profound impression, not merely on the countries concerned, but throughout the world, at large. One of these was the swift destruction by fire, due to the shells of the American warships, of the Spanish cruisers engaged in the battle of Santiago, and the other was the awful conflagration by which the Windsor Hotel, in this city, was wiped out of existence with an attendant loss of nigh upon half a hundred lives. Although neither event taught the world anything that it did not know before, they both impressed deeply the lesson of the perils which are involved in the extensive use of wood as a material of construction where the risk of fire is aggravated and ever present. It has been commonly supposed that the Spanish ships contained a larger amount of woodwork than is usually found in warships constructed at the same date as themselves. As a matter of fact, however, they carried in the shape of decks, bulkheads, and partitions, no more woodwork, and indeed, not so much, as is usually found in cruisers that were built about the year 1890. So far from the conditions being favorable




Blowpipe Test.


for such a rapid conflagration as took place, they were actually unfavorable. The decks were largely protected on their under side by the deck beams, stringer plates and diagonal strapping, so that not only was the amount of under surface exposed to fire greatly reduced, but the large amount of ironwork in close contact with the overlying decks would, by conducting the heat rapidly away, tend to retard combustion. Yet it is a fact that these vessels had not been many minutes under fire before our shells had set them so fiercely ablaze that before the Spanish batteries had been disabled, it was necessary to run the vessels ashore in the effort to save the lives of the crews.

Naval men had been well aware, previous to the battle of Santiago, of the extreme peril involved in the presence of inflammable wood in the construction of warships, for at the battle of Yalu the Chinese gunners spent more time in putting out fires than in serving their batteries. The lesson suggested at Santiago and Manila that it is safe to say that every ship designed since the date of the Spanish war will be provided with as little wood-


(Continued on page 198.)



Digester Open, Showing Method of Stacking Wood.



Interior of Digester, Showing Tracks, etc.



PLANT OF THE AMERICAN WOOD FIREPROOFING COMPANY

# Scientific American.

ESTABLISHED 1845

MUNN &amp; CO., - - - EDITORS AND PROPRIETORS.

PUBLISHED WEEKLY AT

No. 361 BROADWAY, - - NEW YORK.

## TERMS TO SUBSCRIBERS

One copy, one year, for the United States, Canada, or Mexico ..... \$3.00  
 One copy, one year, to any foreign country, postage prepaid. £2 16s. 5d. 4.00

## THE SCIENTIFIC AMERICAN PUBLICATIONS.

Scientific American (Established 1845).....\$3.00 a year.  
 Scientific American Supplement (Established 1876)..... 5.00 "  
 Scientific American Building Edition (Established 1885)..... 2.50 "  
 Scientific American Export Edition (Established 1878)..... 3.00 "

The combined subscription rates and rates to foreign countries will be furnished upon application.  
 Remit by postal or express money order, or by bank draft or check.

MUNN &amp; CO., 361 Broadway, corner Franklin Street, New York.

NEW YORK, SATURDAY, SEPTEMBER 23, 1899.

## THE "OCEANIC."

The advent of the "Oceanic" to our port marks a new stage in the history of steamship construction. It introduces a true marine giant, as will be seen from the fact that the "Oceanic" is over fifty per cent larger than any of the huge vessels which have been launched in the past decade, and therefore constitutes in respect of size a class by herself. The largest vessel afloat, previously to the launch of the "Oceanic," was the "Kaiser Wilhelm der Grosse" of the North German Lloyd Company, whose full load displacement is 20,000 tons. The White Star liner, however, has been built to take advantage of the new 40-foot channels which are being dredged in New York Harbor, and on her full load draught of 35 feet 7 inches she will displace, according to the builders' calculations, 31,590 tons. It was stated by the officers of the ship that a cargo and passenger-carrying vessel of even larger dimensions, built on the lines of the "Cymric," is now under way at the Belfast yards. It is likely that the twentieth century will witness the construction of Atlantic liners whose mark will be set by this great ship of the year 1899. In view of the many contradictory statements as to the horse power and speed of the "Oceanic," we have ascertained from the officials directly concerned in her construction that on her trial trip she made 21.25 knots with an indicated horse power of 28,000 and a boiler pressure of 192 pounds to the square inch. For those of our readers who may not have an opportunity to see the "Oceanic," an excellent scale of measurement is afforded by the fact that from the top of her 19-foot smokestacks to the grate bars of the furnaces is 139 feet.

## FINANCIAL PROBLEMS OF CUBA.

Figures just compiled by the War Department give a most encouraging tone to the financial problems of Cuba. Already, under the liberal and intelligent management of the United States government, the total income of the island, for the first six months of this year, exceeds all expenditures by the very handsome balance of \$1,480,021.92. No doubt, this news will greatly surprise very many, who have hardly looked for such a result from a purely army management of affairs; as too many are apt to imagine that laxity, extravagance, and an absence of business methods are characteristic of military methods. As a matter of fact, this idea is based on a great misconception of the truth. During the period named the total receipts were \$6,982,010.20, and the disbursements \$5,501,988.28. Of the latter sum \$1,712,014.20 was expended in sanitation, an outlay such as Cuba never dreamt of in Spanish days; \$505,263.06 in the erection or improvement of barracks and army quarters; \$443,563.19 in establishing and maintaining the rural guard of the island; \$250,674.12 on public works; \$293,881.27 for charities and hospitals; \$242,146.01 for civil government; \$723,281.38 in municipal management; \$88,944.03 in aid of quarantine affairs. When we consider that, notwithstanding the report for July shows an even greater proportionate saving, it has been possible thus far this year to expend nearly one-half the total in those things which make for greater physical and moral cleanliness, altruistic endeavors largely neglected hitherto in Cuba, this showing is especially gratifying to our national pride. It is easy, in view of these facts, to understand why British capital is pouring into Cuba for investment, assured as it is of a stable, honest, and far-seeing rule for that sadly abused island.

## MONEY SPENT BY TRAVELERS.

Few have any conception of the enormous outgo of money earned in this country and spent by our leisure and traveling classes in Europe each year. It is now proposed, according to a chief of one of the Treasury bureaus, in Washington, to compile an accurate set of statistics upon this subject. Several years ago such an effort was made, but it was not carried out as thoroughly as it should have been. Even then, however, the total ran up to over \$230,000,000 before the work

was abandoned. It is promised now that the forthcoming investigation will be very thorough, including as it will data from steamships, railroads, custom houses, consular estimates, reports of special foreign agents, etc. Such statistics cannot fail to have great interest and value to students of political economy and, especially, to all interested in the problems of the distribution of taxation.

## DANGER IN THE APPROACHES TO THE BROOKLYN NAVY YARD.

The disastrous grounding of the "Massachusetts" and the "Brooklyn," both of which occurred during the past twelve months, have drawn attention to the fact that a visit on the part of any of the deep draught vessels of the navy to the Brooklyn navy yard is fraught with positive danger, particularly at certain stages of the tide. In the case of the "Massachusetts," the existence of the shoal off Governor's Island was well known to the authorities, but the accident to the "Brooklyn" was in the nature of a surprise, for it was supposed that there was ample depth of water at the spot where she was supposed to have touched bottom. In the course of a survey made by the Coast and Geodetic Survey boat "Eagle," it has been found that the obstruction consisted of a sunken barge that lay about 200 yards out from the Hamilton Ferry slip in 30 feet of water.

It appears that this is not the spot on which the barge was sunk, the wreck having been carried there by the powerful tidal currents that sweep through the channels in this vicinity; and it is this very liability of a sunken and semi-buoyant wreck to be shifted that renders it such a menace to the safety of vessels of the deep draught of our battleships and larger cruisers. The War Department cannot do a greater service to the sister arm of the service than by making a thorough survey of the approaches to the Brooklyn navy yard and presenting a comprehensive scheme for clearing the channels and deepening them to an extent that will allow our battleships to leave and enter the yard at any state of the tide. Our two latest battleships are about to pass through these channels to prepare for their trial trips, and it would be a humiliating mortification if they should open their careers with accidents which are of such a nature that they might easily become disasters.

## NEW WAYS OF USING THE BIG CORN CROP.

The corn carnival is the feature of the great valleys of the Central West "when the frost is on the pumpkin and the corn is in the shock," but with a crop of some 300,000,000 bushels to harvest there are tired souls and wearied bodies in the corn belt these fine autumn days. The promise of wealth and abundance of this world's goods brings consolation and joy; it is the prolonged labor without the monetary compensation that disheartens and dispirits. Never was there a more propitious corn carnival season than the present, and Kansas and the corn belt are jubilant. Crops are good, and prices are good. Corn is everywhere and everything. One cannot walk the streets of a Kansas town to-day without encountering witnesses of the State's wealth. There are corn neckties in the show-windows, corn-husk parasols and hats in the possession of fair women pedestrians, cornstalk canes jauntily swung by prosperous swains, and corn shoes and dolls for children everywhere. The manifold value of corn for household and personal adornment has been the feature of each succeeding carnival, and this year's creations have totally eclipsed anything heretofore witnessed.

But while the carnival emphasizes the ornamental side, there is an undercurrent of seriousness about this adaptation of corn and its by-products that more deeply concerns the people than an outsider might imagine. Corn was never used in so many different ways for commercial and manufacturing purposes as in the past year or two. If we cannot induce the Europeans to take our corn for household uses, we can manufacture it into different articles of commercial value which they must take. This seems to be the trend of thought in the corn belt, and new inventions and discoveries annually open up new consumptive markets for corn and its products. Corn is gradually entering into industries that seem far removed in every sense from this product of the fields. The queer corn shoes, corn hats, dolls, and neckties which were made and exhibited for celebrating the corn carnival stand in sharp contrast with the corn oil, corn cakes, and corn rubber.

The one hundred and twenty-odd recipes for using corn as an article of food, which government experts published ten years ago for the benefit of benighted Europeans who did not appreciate this article of food, are not so important in increasing the consumptive demand as some of the recent discoveries. Corn oil for instance, which is extracted from the grain, has an extensive demand in various trades where vegetable oils are essential. Corn oil can be produced more cheaply than most of our vegetable oils because of the relative abundance of corn, and in the last year much of the

oil has been used for table purposes. No attempt has been made to substitute for good olive oil, but judiciously mixed it will pass muster as a low grade table oil. It is also a fair lubricating oil; but its largest use is in the trades and manufactures. Paint mixers employ it quite generally, and also manufacturers of fiber and shade cloth. It possesses qualities that recommend it particularly to these industries, and the demand for it is annually increasing.

Corn rubber is a new article which is substituted for pure rubber in certain lines of goods. This cheap substitute is mixed with equal parts of pure Para rubber. The corn part of the substitute is taken from the refuse of the glucose factory. About five per cent of the corn in making glucose could not formerly be utilized, and this waste seemed absolute. The new corn rubber is manufactured from this apparent waste, and when mixed with pure rubber it produces an especially valuable compound. Improvements in this rubber substitute are made each year, and it has to a certain extent supplanted Para rubber for many purposes. This imitation rubber is from 25 to 50 per cent cheaper than pure rubber, but it has not been sufficiently perfected entirely to displace the Para article. The oil which is found in corn gives a pliability to the rubber compound that prevents it from cracking and breaking as most cheap grades of rubber do. Moreover, the oil of corn tends to prevent the rubber from oxidizing, a fault common to most India rubber.

There are five refineries of corn oil in the United States which use between 10,000,000 and 20,000,000 bushels of corn and corn waste. Besides the output of oil, the refineries have made nearly thirty other different products from the corn. But in spite of all these various products about 5 per cent was practically waste until the discovery of the rubber substitute was made. The spirits distilled from corn constitute another large industry, and recently the employment of the spirits in the manufacture of new grades of smokeless powder has greatly increased the demand for corn. The British government has been a liberal buyer of the spirits for this purpose, and the Japanese government has quite recently placed an order for several thousand barrels for the same purpose. An extensive European war would consequently send the price of corn "booming," because of its general need for food and because it would be in demand for the manufacture of large quantities of smokeless powder. The distilling companies are not only increasing in number, but the output of the largest is doubling. They absorb an enormous quantity of the farmer's corn and prevent a surplus that might otherwise reduce prices below the point of profit for the growers.

The comparatively new cattle foods owe their existence to the employment of corn in various manufacturing purposes. All of them have received scientific tests and the indorsement of experts in cattle feeding. The corn oil cake, which is really the refuse of factories, contains nutriment of a high order, and when properly fed, in conjunction with other foods, it is of great value to the animals and money in the pocket of the farmer. Gluten meal, gluten feed, and chop feed are other cattle foods that owe their origin to the different factories employed in converting corn into products of commercial and scientific use.

The manufacture of glucose has opened up a whole field of new industries, and the glucose made from corn enters quite extensively into the refining of syrups, jellies, and fruit preserves. It is also used by leather tanners and brewers. The sugar and starch made from corn form other branches of important industries. Different grades of grape sugar are made from the corn, and they are used by ale brewers and tanners, while the better grades are employed by apothecaries and confectioners. Pearl and powdered starch come from the corn, and also dextrin and flourin. The former is employed in the manufacture of mucilage and glue, and the latter is mixed with flour. The new uses to which these by-products of corn are put multiply rapidly, and every new employment of any of them makes a greater demand upon the corn crop. It is all along this line that improvements are being made which encourage the corn farmers and improve the future for them. If it were not for these several dozen different articles which are made from corn, the farmers of the corn belt would long since have been ruined. A crop of 300,000,000 bushels would simply swamp them, and make corn so cheap that it would not pay to harvest it. But with this enormous crop in view, the farmers are happy and jubilant, because there is sufficient demand for the product to keep the prices up.

## WIRELESS TELEGRAPHY TO REPORT THE YACHT RACES.

The New York Herald has made arrangements for the exclusive use of the Marconi system of wireless telegraphy for reporting America's cup races off Sandv Hook. Signor Marconi and four assistants have sailed from Liverpool with all the necessary instruments for use in reporting the races, and the work will be done under the personal supervision of Marconi and his assistants, who have been engaged in experiments on



the transmission of wireless dispatches across the British Channel during the last six months.

The instruments will be placed on the "Grande Duchesse," of the Plant line, upon the upper deck of which a tall pole, extending 60 feet in the air above the water line, will be placed, and a running account of the races will be telegraphed by Marconi and his assistants. On board the cable ship anchored near Scotland light a similar pole will be erected, and here two expert operators will be stationed to receive the message after it has been transmitted from the "Grande Duchesse." From the cable ship the message will be transmitted by means of submarine and land wires. The steamer "Ponce" will also be equipped with wireless telegraphy apparatus, the system of Mr. W. J. Clarke being used.

Rear-Admiral Bradford, Chief of the Bureau of Equipment of the Navy Department, has been informed that Signor Marconi will go to Washington to discuss with him the proposed experiments with wireless telegraphy. Admiral Bradford will recommend that one of the vessels of the navy be set aside for experimental work. It is proposed to place the receiver on shore, and the warship will communicate with it from varying distances. By this means it is believed the system will be developed and the value of it will be definitely determined.

#### SOME CALENDARIAL FACTS ABOUT THE TWENTIETH CENTURY.

When will the twentieth century begin? Why there should be different answers to this question is a little puzzling to know. A few fundamental facts disposed of, ought easily to settle the controversy. Of course, the first century began with the year 1, and closed with the year 100. The second century, then, began with the year 101, and closed with the year 200. Now, following this method to the present time, there can be but one answer to the above question. The nineteenth century closes with the year 1900, and the year 1900 closes December 31. Immediately after midnight, therefore, of December 31, 1900, is when the twentieth century begins. In other words, it begins with the first second of the first hour of the first day of January, 1901.

Just at the very nick of time when the twentieth century begins at the international date line, the nineteenth will still be enveloping, as it were, the entire globe; but twelve hours afterward, it will be the twentieth century on half the earth and the nineteenth on the other half; twelve hours later the nineteenth will have entirely passed, and the twentieth will have made its first circuit round this ball on which we live. Thus it takes a century a full day's time to get complete possession of affairs, and from the time of its very beginning to the point where its last trace disappears occupies just 100 years and 1 day. This is evident from the fact that after a new century has begun on the earth, it still takes the preceding century full twenty-four hours to give way entirely to the new.

The twentieth century will open on Tuesday and close on Sunday. It will have the greatest number of leap years possible for a century—twenty-four. The year 1904 will be the first one, then every fourth year after that to and including the year 2000. February will three times have five Sundays; in 1920, 1948 and 1976. In 1901, Decoration Day, Fourth of July and Thanksgiving Day will occur the same day in the week. Then, after that, the same thing will happen at the following intervals: 6, 11, 11, 6, 11, 11, and so on, years; or in 1907, 1918, 1929, 1935, and so on. In the years 1912, 1940, 1969 and 1996, there are four holidays that will fall on the same day in the week: the three already mentioned and Washington's Birthday Anniversary, as also the 29th of February. Thanksgiving Day and Christmas will occur on the same day in the week in 1906, and then at successive intervals of 11, 6, 11, 11, 6, 11 years, and so on; also in 1928, 1956 and 1984. March 4 will fall on Sunday in the inaugural years 1917, 1945, and 1973.

The same yearly calendar that was used in 1895 can be used again in 1901, after which, at successive intervals of 6, 11, 11 years throughout the century; that for 1890 again in 1902 and at intervals of 11, 6, 11 years; 1891, again in 1903 and at intervals of 11, 11, 6 years; 1892, in 1904 and at intervals of 28 years; 1899, in 1905 and at intervals of 6, 11, 11 years; 1894, in 1906 and at intervals of 11, 6, 11 years; 1896, in 1908 and every 28th year thereafter; 1897, in 1909, and at intervals of 6, 11, 11 years; 1898, in 1910, and at intervals of 11, 6, 11 years; 1872, in 1912 and every 28th year thereafter; 1876, in 1916; 1880, in 1920; 1884, in 1924; 1888, in 1928; in the last four cases, also at intervals of 28 years.

The following are, in order, beginning with 1901, the dates of Easter for the first 25 years of the century; April 7, March 30, April 12, 3, 23, 15, March 31, April 19, 11, March 27, April 16, 7, March 23, April 12, 4, 23, 8, March 31, April 20, 4, March 27, April 16, 1, 20, 12.

The earliest possible date on which Easter can occur is March 22. The last time it occurred on this date was in 1818, but it will not occur again till after the twentieth century. The latest Easter can occur is April 25, and it will thus occur but once in the coming century, in 1943. Whenever Easter occurs on March 27, or April 3,

10, 17, or 24, Christmas also occurs on Sunday. Though one of the objects aimed at by the church authorities who fixed upon the method of determining the date of Easter was to prevent its occurrence on the same day as the Jewish Passover, nevertheless the two events will occur together four times in the twentieth century, April 12, 1903, April 1, 1923, April 17, 1927, and April 19, 1981.

The twentieth century will contain 36,525 days, which lacks but one day of being exactly 5,218 weeks. The middle day of the century will be January 1, 1951. The day of the week that will not occur as often as each of the others is Monday. Fifteen out of the hundred years will begin on Wednesday and the same number on Friday. Fourteen will begin on each of the other days in the week.

The following is a special rule for finding the day in the week corresponding to any date of the twentieth century: Add together the number of the year of the century, one-fourth of one less than this number, neglecting fractions, and the number of the day in the year; increase this sum by 1, and then divide by 7. The remainder will indicate the number of the day in the week, Sunday being regarded as 1 and Saturday as 0. Thus in the case of July 4, 1980, we have as the number of the year of the century, 80; as one-fourth of one less than this number, 19; and as the number of the day in the year, 186, the year being a leap year. Hence,  $80 + 19 + 186 + 1 = 286$ , which divided by 7 gives 6 as a remainder. The day in the week is, therefore, Friday.

Several announcements are made of changes to be inaugurated with the opening of the new century. The first of importance is that Russia will adopt the Gregorian calendar. This will be done by omitting thirteen days, the amount of error that will have accumulated after the close of February, 1900. The Russians will then write January 1, 1901, instead of December

December 19, 1900  
19, 1900, or rather instead of ————— the dual  
January 1, 1901

system now in vogue in that country and in Greece. The other important announcement is that it is not at all unlikely that the astronomical day, which now begins at noon of the civil day, will begin with the civil day, at midnight. The present method of having the astronomical day to begin twelve hours after the beginning of the civil day is apt to be confusing. On the other hand, to have the former begin at midnight, just when astronomers are often busiest, will be to them somewhat inconvenient.

As to eclipses in the coming century, there will be about 380 of them, the number of solar being to the number of lunar in about the ratio of 4 to 3. What is of very rare occurrence in a calendar year will happen in 1935, the first time since 1823, viz., seven eclipses, the largest possible number that can happen in a year. There are eight total solar eclipses predicted to occur, visible in the United States, in 1918, 1923, 1925, 1945, 1954, 1979, 1984, 1994. There will also occur twelve transits of Mercury on the following dates: November 12, 1907; November 6, 1914; May 7, 1924; November 8, 1927; May 10, 1937; November 12, 1940; November 13, 1953; November 6, 1960; May 9, 1970; November 9, 1973; November 12, 1986; November 14, 1999. The first, second, ninth and tenth will be wholly visible in the United States; the seventh and eighth only partially so. A transit of Venus, however, which is of much more consequence, will not occur within the next century. The earliest date predicted is June 8, 2004.

While it is claimed at least a thousand comets come within visible range of the earth within a century, there is reasonable certainty of the recurrence of but one extraordinarily conspicuous comet in the next century. That one is known as Halley's. It was last seen in 1835. It will be due again in 1910 or 1911; the exact time is not known, owing to slight modifications in its orbit due to planetary influence. It will probably recur again sometime near 1885. Of course, it is not impossible for some hitherto unobserved comet to appear in all its blazing glory at any time. No astronomer knows. Of famous meteoric showers there will probably be the three recurrences of the Leonids, in 1932, 1965, and 1998, as in the present century, one being yet due, November 13 of this year.

BENJAMIN F. YANNEY.

#### NEWS OF LIEUT. PEARY.

The Peary-Harmsworth steamer "Windward" has arrived at Brigus, Newfoundland, from Etah, North Greenland, and she will be followed by the "Diana" of the Arctic Club, in about a week. The two steamers met at Etah August 12, and worked in company under the direction of Lieut. Peary in collecting supplies for the winter and the equipment for next spring's campaign. Lieut. Peary and the sled parties were in the field almost continually from October, 1898, until August 6 of this year, and have effected an extraordinary amount of important work, adding much to the geographical knowledge of the coast line and to the interior of Ellesmere Land. The sledging journeys aggregated more than 1,500 miles. Lieut. Peary made a careful reconnaissance of the coast line southwest of Allman Bay, and carefully defined the lands between

that point and Cape Sabine. The "Windward" was icebound in Allman Bay on the west side of Kane Basin from August, 1898, to August 2, 1899. Lieut. Peary made several very successful hunting trips and in December he sledged 250 miles north to Fort Conger, the headquarters of the Greely expedition. He had the misfortune to have both his feet frostbitten, which caused six weeks' delay and confinement until he could make the return trip.

He was hauled all the way back to the "Windward" where several toes were amputated. This was followed by complete recovery, and he now walks as well as ever. Peary was the first to visit Fort Conger since Greely left it in 1883. He brought away and is sending home the original Greely records, the sextant of the Nares-Markham expedition of 1876-78, and many private letters and papers of members of the Greely party. The records can only be regarded as relics, as Gen. Greely had brought three copies of them to the United States. Lieut. Peary also conducted a reconnaissance beyond Fort Conger to Cape Beechey. Subsequently he made a second trip to Fort Conger, and four parties in all reached that point from the "Windward."

The winter is now settling down over his camp at Etah on the Greenland coast east of Smith Sound. It is a good place for a camp and is near the one where Dr. Hayes wintered in 1886. Peary has built a comfortable living and working room for himself and his companions, and during the winter he will collect more dogs for next season's campaign and prepare to resume his sledge work up the channels from Smith Sound as soon as the sun returns. The winter will be spent in rest and in working up the results of last year. The "Fram" wintered near Cocked Hat Island 10 miles west of Cape Sabine. She was released from the ice August 1, and reached Etah August 12, and left the same day for Cape Sabine. It is reported she will go to Jones Sound for the winter, unless she succeeds in getting beyond Kennedy Channel and landing Captain Sverdrup for a sledge trip across or around the northern end of Greenland, to be picked up on the east coast by the ship "Windward."

#### OBSERVATIONS OF POLARIS.

Prof. W. W. Campbell, on September 12, made the following statement in regard to his recent observations, by means of which he discovered that Polaris, familiarly known as the North Star, embraces three distinct bodies:

"The observations of Polaris," says The New York Times, "were made with the Mills spectroscope attached to the 36-inch telescope. From the well-known principle of the shifting of the line in the spectrum of a star, we can determine whether the star is approaching or receding from the observer and how rapidly. For most stars the velocity is constant. For some stars the velocity is variable, due to the attractions of companion stars.

"The recent observations of Polaris, at Lick Observatory, show that its velocity is variable. It is approaching the solar system now with a velocity of 8 kilometers per second. This will increase in two days to 14 kilometers, and in the next two days will decrease again to 8 kilometers. This cycle of change is repeated every four days. The bright Polaris, therefore, revolves about the center of gravity of itself and its invisible companion once in four days. The orbit is nearly circular and is comparable in size with the moon's orbit around the earth.

"This center of gravity, and therefore the binary system, is approaching the solar system at present with a velocity of  $11\frac{1}{2}$  kilometers per second. A few measures of the velocity of Polaris made here in 1896 gave its approach at the rate of 20 kilometers per second. Part of this change since 1896 could be due to a change in position of the orbit of the binary system, but most of it must have been produced by the attraction of a third body on the two bodies comprising the four-day system. The period of revolution of the binary system around the center of gravity of itself and the third body is not known, but is probably many years.

"Both companions of Polaris are invisible, but their presence is proved by disturbances which their attractions produce in the motion of the bright Polaris."

#### GOVERNMENT AID IN FORESTRY.

The Division of Forestry, of the United States Department of Agriculture, has issued a circular stating that the division is prepared, as far as a limited appropriation will permit, to render practical and personal assistance to farmers and others by co-operating with them to establish forest plantations, wood lots, shelter belts, and wind breaks. An expert tree planter will have charge of the work, and he will be assisted by collaborators from the different States who are familiar with local conditions. It is proposed that visits be made by the superintendent or one of his assistants to the lands of the farmers desiring aid in forestry, and that working plans be given, including help in the selection of trees, information about planting, and instruction in handling forest trees after they are planted.

## A SAN FRANCISCO FIRE FIGHTER.

BY HERBERT I. BENNETT.

The San Francisco Fire Department has in its service a machine bearing somewhat the appearance of a small cannon mounted on two wheels. Instead of pouring out shot and shell like the latter, the machine in question, however, does pour a great volume of water on a fire with telling effect. This piece of apparatus is known as the Monitor Battery, and was invented by Mr. H. H. Gorter, constructor for the San Francisco Fire Department. It is designed to take the place of a water tower in small confines where the latter cannot be taken and can be used in a basement blaze and up to a fourth story inclusive. Several lines of hose are connected, thus concentrating a great force of water that is easily handled by one man.

The nozzle is provided with tips so that either a 2, 2½, 2¾ or a 3-inch stream can be thrown. When not in action, the table upon which rests the huge nozzle is suspended so as to throw the weight on the wheels and relieve the horse of the strain. When required for action, the table is released by a lever which throws it forward to a level, at the same time moving the center of gravity forward. The weight is thus thrown between the toes at the end of the shaft and the axle, giving the machine stability to withstand a back pressure of fifteen hundred pounds to the square inch. The toes referred to are spikes under the end of the shaft for the purpose of obtaining a purchase in the ground to prevent moving.

The vertical movement of the nozzle is on an improved ball and socket joint, allowing a free flow of water at any angle. A roller bearing is provided for traveling the nozzle through a horizontal arc which reduces the friction caused by back pressure to a minimum. On the rear end are six short flexible connections or pieces of hose for connecting the battery with the various lines of hose leading from the engines. When not in action the connections are suspended beneath the rear end of the apparatus. They are automatically released by the tilting of the table when required for service. The tilting of the table also releases a strut or brace which assists in relieving the strain on the shaft and frame due to back pressure from the nozzle.

The total weight of the battery complete is 1,650 pounds, and owing to its construction and free waterway, a solid stream is thrown ranging from 200 to 300 feet, according to the pressure. The nozzle with its tremendous pressure can, as before stated, be easily handled by one man, who guides it with a small lever. At the Baldwin Hotel fire, two batteries kept the blaze under control on the Market Street side, showing their value in cases of large conflagrations. They are splendid for handling big lumber fires also. From a point of economy, the machine deserves mention too, because it requires but one man and one horse, whereas a water tower takes three men and three horses to operate it. The inventor intends to make them automobiles in the near future.

## Moving Millions of Gold.

Bigger heaps of gold than ever were buried by Capt. Kidd, or carried by rakish craft in the palmy days of the Spanish Main, are week in and week out hauled around New York city, to and from banks and steamship wharves, in a commonplace truck.

The business of moving the gold used in the settlement of commercial balances is always active in New York, for the credits and debits between the local banks, and, in a wider sense, between the United States and foreign countries, are daily shifting and must constantly be met, says The Saturday Evening Post. Of course a growing share of the exchanges between banks is made by the check system and the clearing house, so that after the associated banks, by their representatives, have met together in the morning of each business day and exchanged the checks on each other taken in the previous day's transactions, only the differences have to be paid in actual money.

Thus it happens that the actual exchange of cash is

generally less than 10 per cent of the total clearings, or exchanges of checks. For example: One day recently, when the New York banks had the largest clearings ever recorded—more than \$352,000,000—all that immense sum was paid and received by the use of only \$15,000,000 of actual money. Ordinarily, this money would have been in the form of greenbacks, but for some months bills have been very scarce, and clearing-house balances have uniformly been paid in gold, as are foreign balances.

When the balance of trade demands actual shipments, New York bankers or foreign exchange houses call in the services of Mr. Barkley, a rotund truckman well known to everybody in Wall Street. He has a monopoly of the trucking of gold there; all the bankers know and trust him, as they did his father for more than forty years. Barkley has a slate hanging in a doorway near the Stock Exchange, and his trucks stand near by when not busy. The bankers send a

some agile thief get away with one of the little kegs. But the little kegs are their own protection; the \$60,000 they contain makes troublesome lifting for two men, and only a Sadow of a thief would have any chance to get away in safety.

When Barkley or his European confreres bring a consignment aboard, it is carefully stored in the ship's vault, and the purser takes sole charge of the keys. The first officer of the vessel sees that the vault is covered fathoms deep with the solidest kind of freight. If any robberies have occurred, they have never been recorded.

## The Ebony of the Ancients.


Ebony was known and highly esteemed by the ancients as an article of luxury, and was used by them for a variety of purposes, says The Jeweler's Weekly. In India, it is said that it was employed by kings for scepters and also for images. On account of its supposed antagonism to poisons, it was used largely for drinking cups. Its use has extended continuously down to the present time, and in England, as well as on the Continent, it has always been held in high esteem by the wealthy for toilet articles and boxes. In France particularly, the manufacture of ebony goods has attained a high degree of perfection. Within a few years its use in the United States has increased remarkably, in a large measure, no doubt, on account of its combination with silver, which is believed to have originated in this country. The striking contrast of the dead black of the wood and the brilliant white of the silver has from the outset commended it to the American public. This combination, it is said, has now been introduced into England and other European countries. The silver mounting of the ebony gives scope for the taste and originality of the silversmith. The style of decoration most frequently used on the larger pieces consists of a border of scrolls, of flowers, or of a combination of scrolls and floral designs. The variety and degree of elaboration of the borders shown are almost endless. Sometimes the border extends only half way around the edge of the article. A silver shield, on which the initials of the owner may be engraved, is generally placed in the center of the piece. This shield is occasionally replaced by a monogram, more or less elaborate, which may be the only mountings used. Large initials are also used instead of a monogram. Another style of decoration consists of a beaded edge of silver. While the border is occasionally used on smaller pieces, the decoration for these is generally confined to a shield or monogram. The shield may be combined with floral designs or scrolls. The name ebony is given to the wood of several varieties of trees. All kinds of ebony are distinguished for their great density and dark color. The wood in all varieties is heavier than water; the heaviest varieties are the darkest. The other grades require a considerable amount of staining to make them black. Ebony is of a uniform color throughout, and will not show any deterioration even from long-continued use.

There are three varieties of ebony

well known in commerce. The ebony from the Gaboon coast of Africa is the darkest. The Madagascar ebony is the densest. The Macassar ebony furnishes the largest pieces. Almost all ebony is sent in the form of logs to London, and from there shipped to the various countries in which it is used for manufacturing purposes. It is sold by weight. Imitations of ebony can always be distinguished by their lighter weight, and the cheaper imitations can be detected by merely scratching the surface.

## Wyoming Fossil Discoveries.

The party of scientists who have been investigating the Wyoming fossil beds are having remarkable success, and a large number of boxes containing fossil remains have been sent to the State University, and the work of restoration will soon be begun under the direction of Prof. Wilbur C. Knight.



THE GORTER "BATTERY" UNLIMBERED FOR ACTION.



A SAN FRANCISCO FIRE FIGHTER—THE "BATTERY" IN ACTION.

clerk or messenger for Barkley when they want any carting done. The last time I passed that door the slate said, "Call at J. P. Morgan & Company's and see Mr. King." Another day it may contain one or half a dozen orders from the big houses, and thither Barkley or one or two of his men go to do their bidding.

Gold in transit is packed into small rouleaux, wrapped carefully in little canvas bags. The small bags are incased in bigger and heavier ones. The whole thing is then put into a small keg and the interstices are filled with sawdust. This is to prevent abrasion, for gold that is much worn by rolling around loses considerably in value.

Some gold stays in its wrappings for months and years together. It may in that time have traveled a dozen or twenty times across the ocean, or it may have lain untouched in bank vault or clearing-house. When moved about on the trucks, it might be supposed that a big guard of men would be necessary to watch lest




### THE GRANT ROLLER-BEARING.

In the accompanying illustration we present a novel roller-bearing made by the Grant Axle and Wheel Company, of Springfield, Ohio, which has been used with noteworthy success upon wagons, carriages, automobiles, and vehicles in general.

The tapered rollers of the bearing turn between a cone held upon the axle spindle and an exterior coned ring. The inner cones are not keyed to the spindle, but are loose; so that they turn independently of the rollers. Should the rollers bind, the wheels would not be locked; for the cones could still rotate on the spindle. The method of assembling the various parts of the bearing is so apparent from the illustration that no extended description is necessary. Perhaps the most striking feature of the construction is the simple method provided for taking up the wear.

The adjusting nut is held on the outer end of the axle spindle by a pin or cotter passing through the



THE GRANT ROLLER-BEARING.


nut and through the reduced end of the axle. The nut is made in two concentric members having threaded connection, whereby the outer portion or shell of the nut may be adjusted inwardly to take up the wear of the cones. Once set, the nut cannot be jarred or loosened from its position. It is evident that the spindle may be removed from the hub or wheel without in any way disturbing the adjustment of the parts.

### AN IMPROVED VEHICLE-TIRE.

An ingenious form of tire is being placed upon the market by the Consolidated Rubber Tire Company, of 40 Wall Street, New York city, which is particularly adapted to the requirements of wagon, buggy and carriage wheels.

To the wooden wheel upon which the tire is to be secured a metallic rim is fastened having angularly projecting flanges forming a groove with tapered sides, within which the inner portion of the tire is held. The outer portion of the tire is formed at an angle to the inner portion, the angle or corner between the portions being placed within the outer periphery of the flanges. Openings extend through the entire unexposed portions of the tire, and through these openings independent retaining wires pass, the ends of which are united after the rubber has been endwise compressed. The bottom portion of the tire is reinforced with a canvas strip.

By having the sides of the unexposed portion of the tire inclined and formed at an angle to each other, the compression of the tire in use is such that all portions



AN IMPROVED VEHICLE-TIRE.

of the rubber are retained within the groove and no portion is forced over the side of the flange. Thus the cutting of the tire at the corner or angle is prevented, and likewise its breaking inwardly to the openings through which the retaining wires are passed. The reinforcement of the bottom with canvas has a tendency to prevent the breaking of the rubber below that portion of the tire between the retaining wires and the rim. By reason of this construction, it is claimed that the tire is capable of standing more use and of remaining in position longer than most similar contrivances.

PLANS are being made for the construction of a tunnel under the Hooghly River at Calcutta. The river at this point is about 36 feet deep, and according to one of the plans the tunnel will pass 12 feet beneath the bed of the river. The length of the tunnel proper will be 6,875 feet.

### New Coast and Geodetic Survey Vessel.

The new steamer of the United States Coast and Geodetic Survey, the "Pathfinder," after receiving her scientific outfit at Washington, recently started on a voyage to San Francisco via Cape Horn, her destination being Alaska and subsequently the Hawaiian Islands, says The National Geographic Magazine. An examination made by Superintendent Pritchett last year developed the necessity of continuing the geodetic and hydrographic surveys of those islands by the United States government. The land operations, however, have been successfully organized and carried on for the last 25 years by the Hawaiian Government Survey. The steamer carries the necessary instruments for observations of terrestrial magnetism, densities of sea water, current velocities, and sea bottoms, as well as for the regular hydrographic and topographic survey of the coast. A record will also be kept of the phenomena observed while en route along the coast of South America. During the summer seasons the "Pathfinder" will reinforce the ships and parties of the Survey operating in Alaskan waters, retreating during the winter months to the milder Hawaiian shores. The "Pathfinder" is under the command of Frank Walley Perkins, of the Survey staff, with J. C. Dow, a well-known Transatlantic master, as executive officer. She is the largest of the Survey's vessels, and is peculiarly well fitted for the long distance work of the character she undertakes, her coal endurance being about 6,000 miles. She carries a complement of about 75 officers and men. Including the "Pathfinder," the Survey will now have four steam vessels on the Pacific station and three along the Atlantic and Gulf coasts, besides a number of schooners and smaller craft at various points.

### Wireless Telegraphy During the Naval Maneuvers.

We have already referred briefly to the trials of Mr. Marconi's wireless telegraph apparatus at the naval maneuvers, says The Electrician, and we have now received a letter from Mr. Marconi himself giving us some interesting additional information and directing our attention to the significance of the experiments from a theoretical point of view. The maximum distance to which service messages were sent was 60 sea miles, and this was obtained with apparatus similar to that which has been in use for some time past at South Foreland, the vertical wires being 150 feet and 128 feet long. Mr. Marconi points out that it would geometrically be necessary to have poles 700 feet high at each end in order that a line between their summits should clear the curved surface of the earth. The greatest height employed above the level of the sea, however, did not exceed 170 feet, so that the Hertz waves, if it was really Hertz waves that passed, had either to go over a dome of water 530 feet higher than the top of the mast or to pass through it. This thickness of water, Mr. Marconi considers, would probably be much more opaque than Dover cliff. Non-official messages were obtained up to 74 sea miles in one stretch, which Mr. Marconi considers to be an undoubted record for electric waves.

The following detailed particulars of the trials are given in an article by Commander E. P. Statham, R.N., in The Navy and Army Illustrated: When the reserve fleet first assembled at Torbay, the "Juno" was sent out day by day to communicate at various distances with the flagship, and the range was speedily increased to over 30 miles, ultimately reaching something like 50 miles. At Milford Haven the "Europa" was fitted out, the first step being the securing to the main topmast head of a hastily prepared spar, carrying a small gaff or sprit, to which was attached the receiver, the wire from it being brought down to the starboard side of the quarterdeck through an insulator and into a roomy deckhouse on the lower afterbridge which contained the various instruments.

When hostilities commenced, the "Europa" was the leading ship of a squadron of seven cruisers dispatched to look for the convoy at the rendezvous. The "Juno" was detached to act as a link when necessary and to scout for the enemy, and the flagship, of course, remained with the slower battle squadron. The "Europa" was in direct communication with the flagship long after leaving Milford Haven, the gap between reaching 30 or 40 miles before she lost touch, steaming ahead at a fast speed.

Reaching the convoy at four o'clock one afternoon, and leaving it and the other cruisers in charge of the senior captain, the "Europa" hastened back toward another rendezvous, where the admiral had intended remaining until he should hear whether the enemy had


found and captured the convoy. But scarcely had she got well ahead of the slow ships when the "Juno" called her up and announced the admiral coming on to meet the convoy. The "Juno" was at this time fully 60 miles distant from the "Europa."

"Now imagine," says Commander Statham, "a chain of vessels 60 miles apart; only five would be necessary to communicate some vital piece of intelligence from a distance of 300 miles, receive in return their instructions, and act immediately, all in the course of half an hour or less. This is possible already. Doubtless a vast deal more will be done in a year or two or less; and meanwhile the authorities should be making all necessary arrangements for the universal application of wireless telegraphy in the navy. The outfit is not expensive; £120 would probably fit up any ship, and it is sure to become cheaper in time."

### A RECENTLY INVENTED ROTARY ENGINE.

A small, compact rotary engine which is arranged to utilize steam expansively has been patented by Richard Toennes, of Boonville, Mo., and is noteworthy chiefly for the construction of the piston and for the method employed in admitting and controlling the steam. Fig. 1 is a perspective view of the engine with parts broken away to show the cut-off mechanism; Fig. 2 is a partial sectional front elevation; and Fig. 3 is a view of the reversing valve. The piston of the engine is eccentrically mounted and is provided with a spring-pressed piston-head which consists of a shank made in parts breaking joints and which is formed at its outer end with a pivot on which an auxiliary head is mounted to rock, this auxiliary head being likewise made in sections breaking joints. The engine has two main ports, one of which can be used as a supply port and the other as an exhaust port. These ports are reversed in function when the engine is reversed.

To change the direction of the piston motion, a re-



PERSPECTIVE AND DETAIL VIEWS OF ROTARY ENGINE.

versing-valve (Fig. 3) is used having two through ports and an exhaust recess or port on one side designed, as the valve is shifted by the long lever shown in the engraving, to connect either main port with the exhaust port. The cut-off mechanism comprises a valve superposed on the reversing-valve and having a swinging arm extending across the engine-shaft. The arm is provided with a yoke which is acted upon by an eccentric on the shaft to cut off the steam and allow it to work expansively. The steam can be cut off at  $\frac{1}{4}$ ,  $\frac{1}{2}$ , or  $\frac{3}{4}$  of the piston-stroke. In lubricating the cylinder, piston, and bearings, oil is fed at only three places. With the exception of the shaft, no moving parts are to be seen on the outside of the engine-casing.

### Educational Assistance for Young Men.

A very large number of young men are handicapped in business and social life by deficient education. For these there are excellent opportunities presented in the evening classes of the Young Men's Christian Association. Here they may get an education at the same time they are earning a living.

At the West Side Branch, 318 West Fifty-seventh Street, New York, there are elementary and advanced commercial courses, and language and scientific subjects so arranged that a young man can take one or more studies at a time and devote to study as many or as few evenings as he desires.

The courses of study begin on October 2 next. Those participating have the advantage besides of the Reading and Current Topic Clubs, Literary Society, and a library of over 42,000 volumes, which is a decided gain for any young man inclined to better his condition.

A CORRESPONDENT from New Orleans writes us concerning the water hyacinth, about which we recently published an article. He states that the country around New Orleans has also been very much troubled with the water hyacinth, and attempts to mitigate the evil have been made. Experiments have been made on the Melpomene Canal with a chemical spray, and the result has been highly satisfactory.

## PLANT AND PROCESS FOR FIREPROOFING WOOD.

(Continued from first page.)

work as possible, and what it carries will be rendered non-flammable by some system of fireproofing.

Of the many terrible conflagrations on land, we have quoted that which occurred last spring at the Windsor Hotel, because there is no question that the fearful rapidity with which the building was burned down was due to the large amount of wood which entered into its construction. It might also be mentioned that the destruction of the upper stories of the Home Life building, last winter, would scarcely have occurred, or at least would not have been nearly so complete, if the floors and general trimmings had consisted of non-flammable instead of untreated wood. It seems almost superfluous to emphasize the value of using for constructive purposes in any structure that is at all exposed to fire risk materials that are non-flammable and which in the presence of conflagration will add nothing to the fierceness of the heat.

The accompanying illustrations serve to give a clear conception of the methods adopted by a first-class fireproofing plant in the treating of wood. They represent the plant of the American Wood Fireproofing Company, of Newark, N. J.

As this is one of the latest to be put up, it may be taken as thoroughly representative of the present state of the art.

The plant consists essentially of three large digesters, which are built up of three-quarter inch flanged steel, and guaranteed to a pressure of 400 pounds to the square inch. Two of these are 6 feet 8 inches in internal diameter and 106 feet in length, and the third is of the same diameter and 32 feet in length. One end is permanently closed by a hemispherical head; the other end is provided with a massive cast steel hinged cover, 6 tons in weight, which is hung on a vertical hinge and may be swung to one side, as shown in our engravings, during the charging and emptying of the digester. It is provided with 36 heavy radial bolts, which engage the same number of sockets formed on the face of a cast steel flange on the digester. The locking bolts are of a rectangular cross-section and are cam-shaped at their outer ends, while at the center they abut against the inner side of a large plate washer. This washer is carried upon a massive screwbolt, which projects from the center of the cover, and is driven home against the cover by means of a massive threaded nut and hand-wheel, as shown in the general illustration of the plant. As the nut is screwed home, it presses the plate washer down upon the inner ends of the radial bolts, driving them into their several sockets and causing them to act with a cam-like effect to press the hinged cover to a snug bearing upon the face of the digester. A track formed of lengths of Z-iron runs the full length of the digester. A short piece of movable track is provided, by means of which these rails may be connected with the system of tracks which extends throughout the yard.

The wood which is to be treated is loaded upon small trucks until it conforms approximately to the curve and diameter of the cylinders, care being taken to observe a somewhat uniform spacing in order to allow a free circulation for the chemical solution with which the wood is to be treated. The timber is then secured to the tracks by iron bands and the trucks are wheeled into the cylinders and clamped down securely to the track. The end doors are then packed with a rubber gasket, swung to, and securely clamped. Steam is now admitted at a low pressure of about 10 pounds to the square inch, and the whole charge is submitted to a steam bath, which penetrates the wood, softening and loosening the dried juices which have remained in its fiber. The length of time during which the charge is subjected to the steam bath depends both upon the variety of the wood and its thickness, and it may be anywhere from one to fifty hours. After the steaming process is complete, a powerful vacuum pump is applied for a period of from three to fifteen hours, the vacuum as recorded by the gage being from 27½ to 28 inches. The immediate effect of the vacuum is to draw out of the cellular structure of the wood all of the saps, juices, etc., and leave it in a condition which might be described as that of an extremely finely divided honeycomb. When the vacuum treatment is complete, an alkaline solution is allowed to flow into the cylinders, great care being taken to prevent the entrance of any air. As the solution rises in the cylinders it is absorbed by the cavities of the wood until the latter is nearly saturated. To assist the absorption, the pressure pump is started and the pressure is raised to 200 pounds to the square inch, the pumping being maintained as long as there are any indications that the wood is absorbing the solution. The surplus is then pumped back from the cylinders to the storage tank, the doors are opened, and the wood is run out again to be stacked in the air for drying, or if so desired it is run directly into a drying kiln. In drying, the water evaporates and leaves all the inner walls of the cells covered with minute crystals of fireproofing salts.

This completes the process, and the treated wood is to all appearances the same as before it went through

the operation. It contains all of its original properties except that by withdrawing all that remained of the juices the wood has been relieved of that portion of it that would tend to set up fermentation. Hence, incidentally, the treatment is a preservative one, for it substitutes an antiseptic in place of material which is the direct cause of dry rot. The treatment also has the advantage that the wood is so thoroughly filled that when it comes to be painted very much less oil is required than would be necessary in the case of untreated wood. Moreover, the fireproofed material is susceptible of a much higher polish even in the case of such soft woods as white pine and poplar.

Extensive tests of the treated timber have shown that the strength of the wood is slightly increased in some varieties, and slightly decreased in others, the average decrease of strength in all the varieties of timber that have been treated and tested being not over 5 per cent. Such a heavy impregnation with salts necessarily adds to the weight of timber, the increase being from 5 to 15 per cent, according to the variety that is under treatment.

One of our illustrations shows a little experiment which strongly illustrates the non-flammable quality of the wood. Not only is it impossible to ignite a shaving, but a strip of wood may be subjected to the heat of a blowpipe without any appearance of a flame, and nothing more than a temporary glow, which passes off immediately upon the removal of the blowpipe. This experiment proves that although the treated wood may be charred to a certain depth, beyond which the heat fails to penetrate, it is impossible for it to burst into flame and add to the heat of a conflagration.

The process as carried out at these works and above described has been approved by the recent United States Naval Board as being equal to any submitted to that board for test. The company has recently received a contract from the government to supply the interior wood construction for a building which is now being erected at the Brooklyn navy yard for use by the Ordnance Department of the United States navy for the storage of high explosives. The process has also been accepted by the Civil Engineering Bureau for use in the new executive building at the same navy yard, and the General Electric Company have now under treatment lumber to rebuild where fire recently damaged one of their buildings.

## Notes on the Columbus Meeting of the American Association for the Advancement of Science.

An interesting paper was read in the chemical section by Wilder D. Bancroft, of Cornell, on the Relation of Physical Chemistry to Technical Chemistry. It was held that practically every process now used in technical chemistry can be improved in output or in economy. This improvement must come by a study of the reactions, and hence physical chemistry, which is a study of chemical reactions, is of paramount importance to the student who intends to take up chemical work.

Dr. H. W. Wiley and W. H. Krug, of the Agricultural Department, presented a paper on some new products of corn stalks, which was illustrated by a large number of samples. Among the products of greater or less commercial value are cellulose pith and compressed pith, for coffer dams and for lining the armor plate of war vessels, nitrocellulose for explosives, smokeless powder, and collodion—these from the pith—and from the outer part of the stalk, cattle and chicken feed, either alone or saturated with molasses and mixed with other substances, paper pulp, and nitroglycerin absorbers for dynamite.

Dr. Charles Baskerville, of the University of North Carolina, read a paper on the wide distribution of titanium. The experiments of Dunnington have shown it to occur in practically all soils; of Wait, that it occurs in the ashes of most, if not all, plants; of Wait and of Howe, that it is a constant constituent of bones and is probably present in most flesh, and now Dr. Baskerville shows that it must be considered as one of the constant constituents of the human organism.

Prof. H. A. Weber, of the Ohio State University, gave an account of the practical methods of testing soils for the application of fertilizers in use at Columbus.

Five drain tiles are partly filled with sand and placed erect in a box of sand. The upper part of the tile is filled with the soil to be tested. No. 1 is mixed with superphosphate, potassium sulphate, and sodium nitrate, Nos. 2, 3 and 4 with two fertilizers only, while No. 5 contains the soil alone. Fifteen wheat or oat or barley grains are sowed in each plot, and by their relative growth can be told the fertilizers needed by the soil.

Fifty-five papers were presented in Section C, but quite a number of them were read by title. The attendance in the section was very large.

OUT of 2,489 miles of railways in Switzerland, only 56½ miles are rack railways. There are nearly 12 miles of cable lines and 89 miles of street tramways.

## Correspondence.

## Class Experiment Showing How the Resistance of Carbon Falls with Rise of Temperature.

To the Editor of the SCIENTIFIC AMERICAN:

I am in the habit of giving an illustration of the decrease of resistance in carbon with increase of temperature, which commends itself by reason of its effectiveness and simplicity.

In a 110-volt circuit, I introduce a piece of charcoal some four or five inches long. The spark produced upon short-circuiting this stick at one of the contacts ignites the charcoal there. Then I slowly draw the short-circuiting wire from the ignited point zigzag along the surface to the end. The glow follows the wire and is maintained. Thus the current keeps to the path it has "blazed" for itself throughout all the fifteen or sixteen inches of meandering, preferring the road that is hot, though long, to the short but uninviting chilliness of the straight line.

I. J. KAVANAGH, S. J.

St. Mary's College, Montreal.

## Automobile News.

A new automobile journal entitled *Die Automobile* is to be issued fortnightly in Berlin.

The Automobile Association in Germany, according to *The Cycle Age*, are continually arranging tests to help to popularize the motor vehicle.

It is said that a test of a gas engine automobile will be made by carrying a message from Brig.-Gen. Anderson, at Chicago, to Maj.-Gen. Merritt, at New York.

The police department of Hartford, Conn., will soon be equipped with automobile patrol wagons, ambulance, and prisoners' van. There are great possibilities in the way of the use of automobiles for municipal work.

An electric brougham in Boston was recently upset through the collapse of the front wheel tire, and its two occupants were badly scared, although they were not injured. The front tires of broughams and the rear tires of electric hansoms are those most liable to punctures and other injuries.

It is reported that the New York Central Railway intends to establish an electric cab service in New York and other large cities along the line, and the Pennsylvania Railroad has been experimenting with a sample vehicle, and it is possible that these carriages may be substituted for the horse-driven cabs at the stations of the company's system.

An automobile ambulance is being made for St. Vincent's Hospital, New York city. It will be propelled by electricity, and will be a model of its kind. Electric power is more advantageous for propelling a vehicle where it is essential to have a very steady motion. The large pneumatic tires, it is expected, will also contribute in no small degree to the comfort of the patient.

It is probable that the maximum speed allowed to automobiles in Paris will be greatly decreased, and also that persons must possess certificates as to their knowledge of and ability to run automobiles. In a single week *The Electrical World* says that eight persons were killed and as many as fifty injured through automobile accidents in and near Paris. In nearly every case these accidents were owing to rapid traveling or to the ignorance of the drivers.

## A Bridge Destroyed by Electricity.

The bridge over the Wabash River at Clinton, Indiana, was recently destroyed with the aid of electricity. It was a wooden bridge resting on stone piers and it was very essential to have the bridge removed by a certain time. Of course, dynamite could have been used, but the explosion would have injured or destroyed the piers, and if the bridge was set on fire it would have cracked or injured the masonry. An electrician agreed to wreck the wooden structure without injuring the piers. Each span of the bridge was composed of nine chords, each consisting of three timbers. If the twenty-seven sills were cut simultaneously, the spans would drop into the river at the same instant. This was actually done, the cutting being accomplished by burning through the wood by loops of iron wire made hot by the passage of the electric current. No. 12 wire was used for the loops, and at the bottom of each loop a five-pound sash weight was fastened to an insulator. This weight pulled the loop down as it burnt its way through the timber. According to *The Western Electrician*, an alternating current of fifty volts pressure was employed. One span was wrecked at a time, and the total time which elapsed from the turning of the current until the fall of the span was one hour and forty minutes in each case. After the fall of the bridge an examination showed that all of the sills were burned by the wire loop in exactly the same manner, five inches deep on the top and three inches deep on the sides. When this depth was reached the weight of the span fractured the remaining wood. The cut was sharp and clean and the wood was not charred more than an inch from the place of the fracture. Two thousand spectators witnessed the feat.



## Science Notes.

A novelty is the cold storage of hops. This is done in several places in England. Several systems are employed, notably the Linde, Pontifex and De la Vergne.

The second annual report of the Council of the Roentgen Society shows that steady progress is being made, and the Society now numbers, according to Nature, 148 ordinary members and five honorary members.

The Japanese government has decided to make vaccination compulsory in Japan, and that all children are to be vaccinated before they reach the age of ten months. They must be revaccinated when they are six and again when they are twelve years of age.

It is said that Dr. Nansen will not undertake another northern polar expedition, but that he is much interested in Antarctic explorations, and it is possible that his next trip will be toward the south. He is now engaged on his large scientific work on polar explorations.

The German toy trade has fallen off greatly, and the government has established a professional school of toy making at Grünhainiden. This is an excellent example of the careful attention which Germany is giving to other phases of the manufacturing industry and export trade.

In the working of fluorine the great objection has been that the apparatus that comes in contact with the fluorine must be either of platinum or fluorspar. M. Moissan is now, however, using vessels of copper, which is less attacked than other metals. This is probably caused by the thin layer of copper fluoride which forms on the copper and which is insoluble in hydrofluoric acid.

Germany has prohibited the use of saccharine for the production of beer, wine, etc. Other artificial sweetening substances are also interdicted. Belgium has prohibited the importation, manufacture or sale of saccharine except for medical purposes, and France also prohibits the use of these substances in food. In Great Britain saccharine must not be used in beer manufacture. In Spain, Portugal and Austro-Hungary similar laws are in force.

According to The Nation, a Danish northern light expedition has just left Copenhagen for Iceland. The expedition has been several months under preparation, and its members have been carefully practiced in the use of the instruments. Two stations will be built, and will be connected by telephone and by an optical telegraph. The Director of the Danish Meteorological Office, Dr. Adam Paulsen, is at the head of the expedition, and he will test his own published theories on the aurora, as well as all of the other late ones of the various scientists. The expedition will return in May, 1900.

A year ago Cornell University secured 30,000 acres of woodland in the Adirondack Mountains for the exclusive use of her forestry department. The land has been divided into a number of sections and several seed beds have been laid out in which there has been planted over a million small trees of different varieties. The students of forestry will study the theory of the subject from October to April, and from then until Commencement they will study the practical side of forestry. Cornell University is the only college in the United States which has a forestry department. Prof. John Gifford was recently elected to the Chair of Forestry in the University.

Dr. E. W. Allen, Assistant Director of Experimental Stations in the Agricultural Department, has just returned from the West, after inspecting various stations. One of the most interesting matters to which he devoted his attention was the collection of facts relating to cheese making. The station at Wisconsin is taking the lead in this matter, and the discoveries which have been made there are at variance with those made in Europe—that the ripening of cheese is due to bacteria. American experiments demonstrate beyond doubt that the principal change in the albuminoids which takes place in the ripening process is dependent upon the fermentation in the milk itself and not upon the bacteria.

Siberia is no longer a penal colony. The present Emperor, Nicholas II., has issued an order for a commission to work out schemes to replace the transportation of criminals by punishments by the courts; to reorganize penal servitude and the deportation which follows, and to better the condition of convicts now in Siberia. It will also devise means for establishing compulsory public labor and workhouses as penal measures. The transportation of criminals to Siberia was established in the seventeenth century, and it assisted in populating this vast and wealthy region, which was in need of workmen for constructing roads, fortresses, and in cultivating government lands; but in the development of easy means of communication and the beginning of the industries, Siberia has lost something of its penal character, and now, under the new edicts of the Emperor, almost as satisfactory results may be looked for as in the case of Australia, which was once practically nothing but a dumping ground for criminals.

## Engineering Notes.

The Russian ice-breaking steamer "Ermak" has just finished a two weeks' trip to the northwest of Spitzbergen. She passed through about 200 miles of ice, and its thickness is estimated at about 14 feet. The ship performed the task without injury.

The Baltimore and Ohio has changed the names of its dining cars from those of Roman generals to the names of the popular hotels in the great cities touched by their line. Thus, we have the "Waldorf," "Savoy," etc., for New York, "Carrollton" for Baltimore, the "Raleigh" for Washington, etc.

A cyanide leaching vat made of wood which had been in use for four years was recently tested as to the percentage of values absorbed. A hole was bored one half inch deep in the bottom, and the shavings therefrom assayed \$13 per ton. Thus, says The Mining and Scientific Press, the absorption by wooden tanks is shown not to be as great as has been claimed.

The Central Railroad of New Jersey has instituted examinations for its baggage men. All of the men employed in the baggage department will be compelled to undergo an examination, in order to retain their positions. The examination will be in the nature of questions concerning the route of a piece of baggage from one station to another and methods of tracing lost pieces of baggage, etc.

There is now under construction at a Baltimore shipyard a large floating dry dock for the United States navy, which is to be stationed at Algiers, La., the plans for which were prepared by Messrs. Clark & Standfield, London. This dock will not be launched in the regular manner, but is being constructed in a basin dredged for the purpose, into which the water will be admitted when she is ready to be floated.

The American coal exhibit at the Paris Exposition will be very complete. It will consist largely of small cubes of about four pounds weight. Views of various collieries, shipping arrangements, etc., will also be shown. A model of the New York State prison at Sing Sing will be one of the exhibits of the State of New York. The model itself will be made of alabaster and is the work of the inmates.

Mr. Henry Hess, in a recent issue of The American Machinist, gives some information regarding force fits which he obtained from a prominent engine-building concern in Ohio, and from which he has deduced the following approximate formulæ: For crank fits  $P = 9.9D - 14$  up to  $D = 10$  in. For crank fits  $P = 5D + 40$  from  $D = 12$  in. to 24 in. Straight crank pins  $P = 13D$ . Taper crank pins  $P = 14D - 7$ . Where  $P$  = total pressure on ram in tons to force on and  $D$  = diameter in inches. For cranks and straight pins allow 0.0025 in. per inch of diameter. Taper crank pins are fitted on the lathe to within  $\frac{1}{8}$  inch of shoulder and then forced home. Taper  $\frac{1}{16}$  per inch.

The last train to leave the old Park Square station, Boston, was the New York express, which left at 12:03 A. M. on September 10. It went out of the station with the burning of red fire and the cracking of railroad torpedoes. Then the work of demolishing began, some of the interior fittings being taken out for use at the new Back Bay station, which is not entirely completed. This removal completes the scheme of passenger train consolidation of all the roads entering the city from the south. The Park Square station was finished in 1875 and cost about \$800,000. It is not known as yet what will be done with the property, but it is possible that it will be turned into a market.

The embargo on Lake Superior navigation caused by the sinking of a steamer in the Soo Passage was raised on September 10, and more than 200 large craft began to move. One vast procession headed down the lakes, while another started on its way to Lake Superior. The vessel was sunk by collision with a schooner. Divers succeeded in putting a patch of wood over the break in the "Houghton," and the ore with which the boat was loaded was shoveled into lighters. The rocks which held the vessel were blasted, and the vessel was pulled out into the channel. The down-bound fleet was carrying 300,000 tons of iron ore, 11,900,000 feet of lumber and 900,000 bushels of wheat.

The committee appointed by the American Society of Mechanical Engineers to revise its code for conducting boiler tests has decided that heating surfaces must be measured on the fire side. This means that the inside surface of the tube must be taken when used in a horizontal tubular boiler and the outside when used in a water-tube boiler. This, says Power, gives the water-tube boiler about  $7\frac{1}{2}$  or 8 per cent more heating surface per foot of tube with 4 inch and 3 inch tubes respectively, and necessitates the use of tables or a knowledge of the thickness of tubes when computing the surface of fire-tube boilers. The boiler horse power is made  $34\frac{1}{2}$  units of evaporation per hour, i. e.,  $34\frac{1}{2}$  pounds of water evaporated from and at  $212^\circ$ ; this is equivalent to the transfer of 33,317 British thermal units per hour. The old unit, the evaporation of 30 pounds per hour from  $100^\circ$  Fah. into steam of 70 pounds, was equivalent to the transfer of 33,305.

## Electrical Notes.

Pekin is now to have an electric railroad running from the south gate of the city to the steam railroad station, and it is even hoped that permission to enter the city may soon be obtained. The road is built by a German firm.

An electric road for the Catskill Mountains is now being surveyed. It will connect with the Otis Elevating Railway, and from there will run from Saugerties to Catskill, connecting there with the railway. The right of way has been secured, and construction will soon be begun.

Street sweeping by electricity has been introduced in St. Louis. The appliance is said to be of ordinary construction, save that the broom wheel in the rear is operated by electricity, which is found to be more effective than if the brushes derived their rotation from the road wheels.

It is reported that the wireless telegraph apparatus of a young Swedish engineer named Orling will be tested by Lord Armstrong. He will get some of the Atlantic liners to use the transmitters and receivers while crossing the ocean, and thus try to communicate with them at a land station.

A new Swiss railway from Thun to Burgdorf was opened recently, says The Engineer. The line is electrically driven by three-phase current at 750 volts. Its length is 25 miles, and the power is derived from the river Kander. The current is generated at Spiez at a pressure of 4,000 volts, and then transformed up to 16,000 volts, at which pressure it is transmitted by overhead wires to 14 transformers along the line.

The experiments in wireless telegraphy which have been carried on at Dover have been most successful. Messages have been sent from the Town Hall at Dover to the South Foreland, the waves passing through the Castle Rock, which is 400 feet higher than the Town Hall flagstaff. The results were most satisfactory. It is hoped that messages can be transmitted between the British and French associations at their meetings.

Vice-Consul-General Hanauer writes from Frankfort, July 22, 1899, that the total length of the street-railway system in Frankfort at the end of the year 1897 was  $30\frac{1}{2}$  kilometers (18.9 miles). The gross receipts during that year were 2,655,685 marks (\$632,000), of which 288,722 marks (68,000) were paid to the city treasury, according to the contract. There were 781 horses and 197 cars in use, and 26,507,403 passengers were carried during the year. The net proceeds amounted to 430,491 marks (\$102,457).

The Glasgow Town Council has confirmed the recommendations of the tramways committee giving the contract for two electric traction engines to the Allis Company. It is said that the decision of the council has occasioned much disappointment to home firms, but they could not compete with the speedy delivery of the Milwaukee firm. There are two or three new schemes for electric subways in London, and it is probable some of the projects will materialize in the autumn, and this will afford an opportunity for further supplies of American equipment.

According to The Electrical World, a patent was granted August 1 to Gustav Platner, of Wittenhausen, Germany, for a new primary battery depolarization solution composed of chlorates combined with metallic salts capable of readily forming basic salts and disengaging acids or halogens. Among the chemical compounds named are salts of iron, such as chloride sulphate of iron and iron and chromium salts. For example, in the case of a carbon cylinder battery, the cylinder containing a dry mixture of sulphate of iron, chlorate of potash or sodium and peroxide of manganese tightly packed together, with zinc in a solution of chloride of ammonium, an E. M. F. of 1.8 to 1.9 volts is obtained. The chemical action gives rise to a basic iron or chromium salt, while the sulphuric acid decomposes the chloric acid, which at once separates into chlorine and oxygen. This action, however, takes place so slowly that the cell would remain constant for a very long period.

The general results of the magnetic survey of Sicily and the adjoining islands, commenced in 1890 by Prof. Chistoni and Signor L. Palazzo, were recapitulated in a communication by the latter observer to the Atti dei Lincei, vi., (2) 11. In Terrestrial Magnetism for June, 1899, Signor Palazzo now gives a magnetic chart of Sicily, showing the course of the isogonal and isoclinical lines, and the isodynamical lines for the horizontal component. The remarkable deviations produced in these curves by volcanic areas are well shown. Signor Palazzo, having been appointed as a delegate at the International Magnetic Conference held in connection with the Bristol meeting of the British Association last year, availed himself of the opportunity for instituting a comparison between the magnetic instruments of the Italian Central Meteorological Office and those of Parc Saint-Maur and Kew. The results of this comparison have been published in the Atti dei Lincei, viii., (1) 8 and 9, and the author considers that these comparisons fully establish the trustworthiness of the Italian instruments and methods.—Nature.

### IN THE PATH OF THE PORTO RICAN HURRICANE.

The accompanying views showing the destruction wrought by the recent hurricane in Porto Rico speak for themselves, and give a more graphic picture of the terrific force of wind and flood than can be conveyed by descriptive writing. Three of the photographs

ed. The river San Piedras is in ordinary seasons an inconsiderable stream, but within four hours after the storm had burst in this locality it had swelled into a raging torrent. As viewed in the illustration it flows in the direction of the bridge as seen from the point of view at which the photograph was made. The rush of water appears to have washed away the embankment which

shown was wrought entirely by the wind and consisted chiefly of the unroofing of houses and, in some cases, the complete demolition of the upper stories.


One of the greatest scenes of desolation after the storm was presented in the public square of Caguas, which was formerly one of the attractive sights of the town and the common place of recreation for the



DAMAGE IN THE MAIN STREET OF CAGUAS.



DESOLATION IN PUBLIC SQUARE, CAGUAS.



WRECK OF STEEL BRIDGE ON THE MILITARY ROAD.



STREET OF NATIVE HUTS, SUBURBS OF CAGUAS.


were taken in the town of Caguas, a place of 14,000 inhabitants which is situated in one of the richest tobacco districts of the island and is like Cayey and Camerio one of the most productive centers of the tobacco industry. The other view is taken on the celebrated military road which runs from San Juan through the island to the city of Ponce. This bridge is a modern steel structure which was built to carry the road across the river Piedras. It is situated about 21 miles from San Juan, and in the solidity of its construction it was a fair sample of the excellent work which is characteristic of the whole of the military road above mention-

formed the approach to the bridge on the left, and getting in behind the abutment it brought down the masonry with one end of the bridge, as shown in the illustration, letting the whole superstructure fall into the river.

The street which is shown in another photograph is Furabo Street, one of the principal thoroughfares of Caguas. It coincides with and forms part of the military road, and along it are to be found the principal stores and places of business. Generally speaking, the lower stories were built of brick and the upper stories were of wooden frame construction. The damage here

people. It contained a handsome grove of Framboyan trees, and how complete was the havoc wrought by the wind will best be understood from an inspection of the accompanying photograph. Not merely was the foliage entirely stripped from the trees, but the greater part of the branches were torn off and scattered in a confused mass throughout the plaza.

The American people have heard a great deal lately about the flimsy huts which serve as dwelling places for the poorer inhabitants of Cuba and Porto Rico, and the accompanying view taken in the poorer quarters in the suburbs of Caguas proves how extremely



"OCEANIC" PASSING SANDY HOOK ON HER MAIDEN TRANSATLANTIC TRIP.




primitive these dwellings really are. The walls consist of rather slight posts set in the ground, closed in with the bark of the native trees, while the roof consist of light pole rafters with a thick covering of palm leaves. The inhabitants of these huts are employed chiefly on the farms and in the tobacco factories, where they do the common laboring, receiving for their services a wage which varies from 38 to 60 cents a day. These poorer classes live on dried codfish, sweet potatoes, rice, beans, bananas and coffee. It can easily be understood that the ravages of the hurricane were not so severely felt by these people as by the owners of the better class of houses; for the matter of repairing one of these huts is merely a question of a day or two.

THE "GREAT EASTERN" AND THE "OCEANIC"—A COMPARISON.

With the arrival of the magnificent liner "Oceanic" of the White Star Line Company at this port after a successful maiden trip, the people of New York city are carried back to the time when, some forty years ago, that other mammoth steamship, the "Great Eastern," made her first trip across the Atlantic. Although the "Oceanic" is a first-class passenger steamship in every particular of the hull, engines, safety and accommodation, and represents in all these respects the highest development of the steamship builders' art, there is no question that it is in respect of her unprecedented size that she will command most attention. For this reason we have thought best to make this article a comparison of the "Oceanic" with the "Great Eastern," with a view to bringing out, incidentally, the great strides which have been made during the past forty years in the building of transatlantic liners.


To begin with the question of size, the "Oceanic" is longer over all by 12 feet and her displacement at a working draught of 32½ feet is greater by 1,500 tons. In beam and depth, however, the ship of the fifties was enormously larger, having a beam of 83 feet as against 68 feet for the "Oceanic," while her depth was 57½ feet as against 49 feet. These differences are shown very clearly in the sectional view of the two ships. At first sight it would naturally puzzle the reader to understand how the "Oceanic" with a cross section so much smaller could have a larger displacement than the "Great Eastern," when both ships are of approximately the same length; but it must be remembered that while the average draught of the "Great Eastern" was only 25½ feet, that of the "Oceanic" is 32½ feet. The fact that a larger proportion of the hull is above the water-line will also explain

the more bulky appearance of the "Great Eastern" in our broadside view of the two vessels. Moreover, the model of the "Great Eastern" was considerably finer than that of the "Oceanic"; she did not maintain her



CROSS SECTION OF "GREAT EASTERN" AT THE PADDLE ENGINES.

full beam for any considerable distance amidships, her under-water body fining away toward the ends like that of a yacht. Further, her bilges were very much easier, being rounded up with a broad easy sweep, while those of the "Oceanic," as is the fashion in modern steamships of this class, are nearly square with a flat floor, a small dead rise, and a short radius at the turn.




MIDSHIP SECTIONS OF "GREAT EASTERN" AND "OCEANIC."

Another feature which serves to make the "Great Eastern" look more bulky than the modern vessel is the fact that her plating was carried up to the top deck, which was entirely flush from stem to stern and carried only a few deck houses. In the "Oceanic," on the other hand, the two upper decks amidships are carried upon stanchions and extensions of the side frames and have no side plating.

THE "GREAT EASTERN."—The construction of the "Great Eastern" was commenced in the spring of 1854 on the banks of the Thames. She was built broadside on to the water, and the enormous difficulties attending her launch delayed her taking the water until the last day of January, 1858. Her total cost was probably about \$4,400,000. She was propelled by two sets of engines. Amidships was a four-cylinder paddle wheel engine of huge dimensions, while astern of this was a horizontal four-cylinder single screw engine. The paddle wheels were enormous affairs, 56 feet in diameter, and each of them weighed over 90 tons, while the breadth of the ship over the paddle wheel boxes was 118 feet. Each of the paddle wheel engine cylinders was 6 feet in diameter by 14 feet stroke, and the indicated horse power was 3,500. The four cylinders of the single screw engine were 7 feet in diameter with a 4-foot stroke, the indicated horse power being 4,500. Steam was supplied by ten double-ended multi-tubular box boilers, which carried a working pressure of 20 pounds to the square inch. The total daily consumption of coal when the vessel was running at full speed was 400 tons. The bunkers had the enormous capacity of 12,000 tons, this large supply being provided with a view to enabling the vessel to steam out to Australia and back without recoaling. The hull was constructed of iron, and, considering the early date at which it was built, it was a masterpiece of construction, and was of a strength which has probably never been exceeded in modern vessels. In the first place, the double bottom was carried, as shown in our cut, well above the water-line, and the upper deck, like the bottom, was of cellular construction, and consisted of a series of longitudinal girders extending throughout the entire length of the ship and closed in at top and bottom by plating. Fully 30,000 plates were used in the vessel, and when she was launched her estimated weight was about 8,500 tons. Provision for safety was made by building the ship with twelve watertight compartments below the lower deck and nine compartments above it. The ship carried four decks in all, and her passenger accommodation, in respect of the total number carried, was far ahead of anything that has ever since been attempted, provision being made for 800 saloon passengers, 2,000 intermediate, and 1,200 steerage passengers. The staterooms and saloons were built on what were for those days very generous proportions. The main saloon measured 36 feet in width by 100 feet in length and 13 feet from floor to ceiling.

On her first trip to this country she made the passage in eleven days two hours. Her maximum speed was 14½ knots, and her average speed during the time



"Great Eastern"—Length over all, 692 feet; beam, 83 feet; depth, 57½ feet; displacement on 25½ feet draught, 27,000 tons; horse power, 8,000; maximum speed, 14½ knots.  
"Oceanic"—" " 704 " " 68 " " 49 " " 32½ " " 28,500 " " 28,000; " " 21¼ knots.

"GREAT EASTERN" AND "OCEANIC" COMPARED.

she was under full steam was about 13 knots. Although, financially, she was a failure, her vast size proved most opportune for the task of laying the transatlantic cable. The latter days of the great ship were somewhat ignominious. After being sold to an enterprising speculator, who used her for show purposes, she was sold for old iron and broken up on the banks of the Mersey. If we bear in mind that the art of iron shipbuilding was in its infancy at the time she was built, we must admit that the construction of the "Great Eastern" was, and is to-day, the greatest engineering feat of the nineteenth century, and reflects the highest credit upon her designers, J. Scott Russell and I. K. Brunel.

THE "OCEANIC"—We have recently described the "Oceanic" at such great length that it will not be necessary at this time to do more than recapitulate her leading features. In her lines and general arrangement the new ship is an enlargement of the White Star boats "Majestic" and "Teutonic," and unless one is near enough to realize her gigantic proportions, she might easily be mistaken for either of these vessels.

DIMENSIONS OF THE LARGEST OCEAN STEAMERS.

| Name of Ship.                  | Date. | Length Over All. | Beam. | Depth. | Draught. | Displacement. | Speed. |
|--------------------------------|-------|------------------|-------|--------|----------|---------------|--------|
|                                |       | Feet             | Feet  | Feet   | Feet     | Tons          | Knots  |
| Great Eastern.....             | 1858  | 692              | 83    | 57½    | 25¼      | 27,000        | 14½    |
| Paris.....                     | 1888  | 560              | 63    | 42     | 26¼      | 15,000        | 20     |
| Teutonic.....                  | 1890  | 585              | 57½   | 42     | 26       | 13,800        | 20     |
| St. Paul.....                  | 1895  | 554              | 63    | 42     | 27       | 16,000        | 21     |
| Campania.....                  | 1893  | 625              | 65    | 41½    | 28       | 19,000        | 22     |
| Kaiser Wilhelm der Grosse..... | 1897  | 649              | 66    | 43     | 29       | 20,000        | 22½    |
| Oceanic.....                   | 1899  | 704              | 68    | 49     | 32½      | 28,500        | 21¼    |

The accompanying table shows what an advance in size has been made in the "Oceanic" over existing ships. She is 42 per cent larger than the next largest transatlantic liner, "Kaiser Wilhelm," whose displacement on a draught of 29 feet is 20,000 tons. Following the "Kaiser Wilhelm" is the "Campania," of 19,000 tons, and then in order of size come the "St. Paul," of 16,000 tons, the "Paris," of 15,000 tons, and the "Teutonic," of 13,800 tons. But though the vessel is so much larger, she does not compare in speed with the fastest of the transatlantic liners. Her indicated horse power is only 28,000, or the same as that of the "Kaiser Wilhelm der Grosse," and the estimated sea speed is only 20 knots an hour, as against a sea speed of over 22½ knots, which has been achieved by the North German Lloyd vessel. It is the belief of the White Star Company that the average transatlantic traveler cares less about extremely high speed than is generally supposed, and it is believed that by giving the "Oceanic" sufficient power to enable her to make the trip with great regularity, the company will not only effect a great saving of fuel, but will meet all the wishes of the traveling public. Thus, it is claimed that the saving of twelve hours by pushing a vessel across the Atlantic at the highest speed frequently serves merely to bring the ship into New York Harbor just too late to pass Quarantine. This necessitates the passengers being detained on board until the following morning.

In the construction of the vessel great attention has been paid to the elements of strength and stiffness. The frames are heavy channel irons of steel 9 inches in depth, spaced 31½ inches from center to center. The plating varies in thickness from 1 inch to 1½ inches. The double bottom extends throughout the full length of the ship, and in general is a little over 5 feet in depth, except beneath the engines, where, in order to comply with naval requirements, the depth is increased to 7 feet. Great strength is also derived from the five steel decks, which are completely plated from stem to stern. Including the inside floor of the ship's bottom, there are seven distinct decks, and above these a boat deck which extends for several hundred feet amidships. The captain's bridge is about 96 feet above the keel, and will be 68 feet above the water when the ship is down to her present load line of 29 feet.

The engines are of the twin-screw triple-compound inverted type, working upon four cranks, are set according to the Schlick system, which is designed to reduce vibration and has shown excellent results in practice. The cylinders are high pressure 47½ inches, intermediate 79 inches, and two low pressure 93 inches in diameter, the common stroke being 72 inches.



There are accommodations for 410 first-class passengers, 300 second-class, and 1,000 third-class pas-

sengers, and as the crew numbers 390, the total number of people on board when the ship carries her full complement will be 2,100. The decorations are carried out with the good taste which is a marked feature in all the vessels of this line, and while it is rich there is nothing gaudy or over-elaborate. The saloon has the generous proportions of 64 feet in width by 84 feet in length. It has a seating accommodation of 350. The opening in the ceiling under the glass dome is 21 feet square, and the four sides between the pendentives contain allegorical figures that represent respectively Great Britain, America, New York, and Liverpool. The library is an exceedingly picturesque room, measuring 53 feet in length by 40 feet wide, with a height of 9 feet 6 inches from floor to ceiling. An excellent effect has been secured in this room in breaking away from the long, straight sides and forming nooks and recesses. We cannot attempt to enter any further into a detailed description of the passenger accommodation on this fine vessel. It is sufficient to say that her vast size and weight insure a degree of spacious comfort and steadiness of movement which have never before been realized in ocean travel. The total cost of the vessel was five million dollars.

In conclusion we must confess that, contrary to our expectations, the "Oceanic," on a near inspection, looks every inch of her great size. There is a sense of roominess and steadiness both above and below decks far in excess of anything experienced on other large ships, and her behavior in a seaway on the passage over was up to and beyond expectations.

A NOVEL MENU CARD.

One of the most curious menu cards on record was used by the Patent Law Class of 1899 of Columbian University, Washington, D. C. By the courtesy of one of those who were fortunate enough to partake of



MENU CARD SIMULATING A PATENT.

the repast, we are enabled to present our readers with a reproduction of this interesting menu card, which simulates a United States patent issued for one day. We are pleased to note that the "ingredients are to be taken separately, in reasonable proportions," and that they are to be "seasoned with wit and good humor and accompanied by speech and song." Of course dinners are very much alike and we do not doubt that the statement of the "invention" that "it will be found that when used as described, our invention will surpass in efficiency all previous attempts to produce a similar function" will at once be challenged. This question will never be decided without recourse to the Court of Appeals of bon vivants.

The patent was supposed to be issued for the term of one day, and it will probably not be reissued unless some satisfactory grounds can be given, such as failure to produce the desired effect as specified in the preamble.

The Reduction of Prints as Contrasted with the Reduction of Negatives.

The August issue of the Photographische Rundschau contains a long article by Herr Janko on the reduction of prints, the essential feature of this article being a useful contrasting of the conditions under which negatives and prints may be treated with advantage. In the first place, there must be a clear understanding as to the difference between true reduction and the mere removal of a general veil or fog, the latter operation being of special importance in relation to prints, as an amount of veil which may be of no practical importance in the case of a negative will

sometimes ruin a print, as by reflected light a slight veil may completely mask a vigorous or fully gradated print. Further, a consideration of this subject will show that reducers which are excellent in the case of negatives may be useless for slightly veiled prints. The persulphate of ammonium is a case in point, as it does not sufficiently attack the faint deposit. Farmer's ferricyanide reducer, as also cupric chloride, ferric chloride, and cupric bromide, are excellent fog or veil removers in the case of negatives, but when used for prints are subject to the disadvantage that the faintest deposits of silver which remain take a yellowish tone, and sometimes the whole surface of the paper takes a yellowish tint. The general yellow tint which often arises when Farmer's reducer is used for prints may be removed by a sodium sulphite bath or by Belitski's alum and hydrochloric acid bath, but neither of these will remove the yellowish tint of the faint gradations of the true silver image. A fog-eliminating reducer not subject to this disadvantage is prepared as follows: Stock solution—Water, 100 parts; iodide of potassium, 10 parts; iodine, 1 part. From 2 to 5 c. c. of this liquid are added to 100 c. c. of water, and the positive print is immersed, when the fainter deposits become rapidly converted into silver iodide, and this salt must be removed by a hyposulphite bath, a 10 per cent strength being convenient. Ordinary papers are frequently sized with starch, and this will cause a general blue coloration, but this blue coloration disappears in the hyposulphite bath. Still, the blue coloration is an inconvenience, as it renders it difficult to judge of the progress of the reduction; hence, a more convenient all-round fog-removing reducer for prints is the following: Saturated solution of alum, 50 parts; 4 per cent thiocarbamide solution, 50 parts; glacial acetic acid, 1 part. The print being immersed in this bath, the dish is rocked until the reduction has sufficiently progressed, after which the print is washed.—Amateur Photographer.

The Camphor Barometer.

A recent number of the weekly bulletin of questions and answers, published by the secretary of the French Association for the Advancement of Science, submits the following problem says The Monthly Weather Review:

How can we explain the formation of clouds, threads, and crystals that are produced in the so-called chemical or camphor barometer, which consists of a solution in alcohol of equal parts of three substances, the nitrate of potash, camphor, the hydrochlorate of ammonia, if the glass tube that contains this solution is hermetically sealed, and the variations of temperature to which it is subjected have no influence on the phenomenon?

This form of barometer is found everywhere in English-speaking countries under the names of "the farmers' weather glass," "the domestic barometer," or some other equally misleading title. In some forms that the editor has tested, there is scarcely any apparent

change in the clearness of the liquid, year after year. In other instruments, the crystals of camphor assume different forms, from day to day, which are certainly very interesting to observe and study, but have nothing to do with the weather and storms, and even less than one would expect with the current temperature. To the meteorologist and farmer, these instruments have no value, but to the student of molecular physics, they are well worth an investigation.

The gas in the space above the liquid being a mixture of air and vapor of alcohol exerts a very variable pressure upon the liquid below; the latter is saturated with the three chemicals above mentioned, but as its temperature and pressure vary, it alternately rejects and absorbs a slight surplus of camphor. The rapidity with which this change takes place appears to decide the question as to the crystalline or fibrous structure of the visible cloud. Nearly all the changes in the appearance of the camphor cloud seem to depend upon the rate at which the changes of temperature take place, and the time that is given to the solid to collect into larger crystals and settle to the bottom or rise to the top, according to the relative density of different parts of the liquid. The ascending and descending currents going on within the liquid are slow and barely appreciable, but must have an effect upon its cloudy appearance.

THE projected ship canal from Georgian Bay to Montreal would mean the saving of 725 miles in the transportation of grain from Chicago to Liverpool; all but 29 miles is open river and lake waters.



## THE "SHAMROCK" DISABLED.

A few weeks ago we presented an illustration showing the "Columbia" disabled off Newport during one of her tuning-up trials; and now it is the "Shamrock" that serves to "point a moral and adorn a tale." We suggested at the time of the "Columbia" mishap that in his desire to save weight aloft Herreshoff had probably ventured nearer to the limit of safety than was justified by the few seconds of time or fractional increase of speed secured thereby. "Columbia's" broken mast, however, was taken out and repaired in the Bristol shops, additional diaphragms and longitudinal stiffeners no doubt having been inserted at the point where it buckled. Let us at least hope so, for it would be a pitiful ending to all these months of preparation if the races should be won through the carrying away of spars or any other fortuitous causes.

The breakdown of the "Shamrock" happened on the very first trial of her new and large mainsail. At the time of the "Britannia" races, Sir Thomas Lipton stated that "Shamrock" was not carrying her full canvas, and promised a "surprise" when her racing canvas was spread in American waters. The "surprise" came when the 103-foot boom was unshipped and an immense spar of nickel steel, whose length is supposed to be 111 feet, was shipped in its place, the gaff being replaced by a hollow nickel-steel gaff of duly increased proportions. The new mainsail, unlike the first, had the cloths running from luff to leach, a type of sail which Ratsey the sailmaker said his firm had experimented with half a century ago and found wanting. Evidently he has discovered some positive advantages in the system, for there the sail was, with its cloths running square, instead of parallel with the leach or after edge of the sail. The object aimed at is to reduce the friction of the wind as it slides past the sail when the boat is close-hauled or on a close reach.

The "Shamrock" had just started in a light eight-knot breeze for a ten-mile run down the wind, with main boom swung to starboard and spinnaker set to port, when suddenly the hollow gaff buckled and bent into a sharp angle at the point where it was bearing against the shrouds. The peak at once dropped and allowed the mainsail to fall into the position shown in our engraving, the clubtopsail remaining aloft and assisting to give the yacht her curious and truly original appearance.

The accident illustrates a fact which is well known to bridge builders and all who have to do with framed structures involving the use of hollow built-up members: namely, that a hollow metal post or strut which is subject to great compressive strains (as in the case of a hollow gaff) will give way very quickly if a comparatively small bending strain be brought upon it. The enormous strain put upon a gaff by the pull of the peak halliards is largely resolved into a compression strain along the axis of the gaff, which accumulates in that portion of the gaff between the jaws and innermost point of attachment of the halliards. In running before the wind a bending strain was brought upon the gaff by its bringing up against the shrouds and spreader, with the result that it bent over like a boy's tin horn. That the accident should have happened in a light, eight-knot breeze suggests that in the matter of lightness of construction Fife has out-heroded Herod, and makes one ask what will become of these spars in a blow. Solid wooden spars will give and bend before they break and afford some evidence that they are being strained to the breaking point, but there is no such ample warning in these hollow and largely unstiffened shells which do duty for spars in the modern racing machine. The experience of this season's cup races suggests that for topmast, gaff, and clubtopsail yards there is nothing to surpass a sound wooden spar.

A FEW years ago a western railroad planted 600 acres of land with trees, with the idea of growing timber for railway ties and telegraph poles. The trees have made good growth, but are not quite ready for use as poles, and some of the trees are now being cut out and made into fence posts in order to thin the forest.

## Bromide Enlarging.


It was quite a shock to me a few days ago—the beginning of August—to see the fall styles displayed in the windows of the dry goods stores. But so it is, summer is melting into autumn, and long evenings are coming. This means for many of us artificial light to work by, and a few remarks on bromide enlarging may be useful. For some of the hints which I give I am indebted to Mr. J. H. Baldock. The choice of the lens to be used is a matter usually decided by taking the lens which made the negative. This is a rough and ready rule, and one easily remembered. But if a wide-angle lens has taken the negative, it may be necessary to use a longer focus lens for the enlargement; it might be a good rule to have the focal length of the lens at least the diagonal of the enlargement. For light daylight is, of course, cheapest; and on a clear day with no clouds it is perhaps the best.

Illumination should be from the north or northeast, and a reflector placed at an angle of 45° should be used. Of course, care must be taken that the reflector is turned against clear sky—there must be no branches or buildings to interfere with even illumination. The distance between the negative and the lens, and the lens and sensitive bromide paper, will depend upon two things, i. e., the focal length of the lens to be employed, and the number of times the enlargement has

too, is that more light may be used with bromide paper than with dry plates; consequently, its development can be carried on with greater safety and comfort in working. There is a good choice of developers, but pyro cannot be used, on account of its liability to stain. I do not altogether recommend hydroquinone alone, though in conjunction with metol it forms a capital developer. Ferrous oxalate has always been a favorite, and is still largely used; but it is no good for under-exposed prints, and it requires the use of an acid fixing bath. With proper exposures it gives a brilliant, plucky, clear black image. Two good developers are amidol and metol, either of which gives good black tones; they are easy to use, clean, non-staining, and can be used more than once. Amidol is used with pure and good sodium sulphite alone, while metol requires sodium carbonate in addition; either requires about two grains of potassium bromide to each ounce of developer. Should it be found that some parts of the print do not develop up by the time the rest of the picture is well out, pour off the developer, wash the print (with acid water if iron is being used), and then by means of a brush, or the tip of the finger, locally develop those parts which lag behind. In the case of clouds, tilt the dish, pour in a little developer, and try, by means of local work, to get detail in the sky. Finally, give the print or prints a good

rinse, and fix them for about twenty minutes in the acid fixing bath, and then wash thoroughly for about two hours.

Next comes the question of clouds. If in a small picture the lack of clouds may sometimes prove fatal—and the introduction of clouds is essential—how much more necessary is it in the case of an enlargement, in which nothing looks worse than a vast expanse of white paper, supposed to represent the sky. Proceed as follows: Throw the image on an easel, and roughly cut out a cardboard mask, following the horizon line fairly correctly, but if trees or a church spire project into the sky, these may, as a rule, be disregarded, as they will print over the clouds. Having done this, select a cloud negative, soft and with not too pronounced effect, lighted from the same direction as the landscape, place it in the lantern, cap the lens, and make a trial exposure; having done this, pin up the enlargement paper, and make the necessary exposure on it, shielding the landscape portion with the already prepared mask, which must be kept moving, and as near the lens as possible. To soften the effect, and prevent the formation of a hard line, recap the lens, remove the cloud negative, and replace it by the landscape negative, the exposure necessary for which



"SHAMROCK" DISABLED.

to be. The next point for consideration, and it is a very important one, is the exposure, which is the one unknown quantity. Unfortunately, no hard and fast rule can be laid down to indicate what the correct exposure is, because it depends on so many factors, viz., the density of the negative, the degree of enlargement, the focal length of the lens, the intensity of the light, the sensitiveness of the bromide paper, and the size of the stop used. With reference to the second and fourth of these factors, must be borne in mind the rule that the intensity of the light varies inversely as the square of the distance from the source of light. But in practice this is comparatively simple and easy. A little experience with negatives of his own making will soon indicate to the worker the approximate exposure, and then by means of trial slips, pinned diagonally across the picture, so as to embrace, as far as possible, all the gradations, and exposing these slips for different times, say ten, twenty, forty, and eighty seconds, and developing the slips, it will soon be seen which of these times is the correct one. Indications will also be given as to whether any part of the negative requires shading, masking, etc., so as to stop exposure of certain parts, allowing a longer exposure to other parts. Of course, this can only be done when the image is projected onto an easel; it cannot be done if the enlargement is made in a camera.

Taking next development, bromide paper is not quite so amenable to development, as a compensation to errors of exposure, as are dry plates. Another thing,

has been previously ascertained; uncap the lens and give this exposure, recap, remove bromide paper, and develop. You will probably find that a certain amount of local development has to be resorted to here.

There is sometimes a difficulty in mounting large bromide prints. When the print is pasted over it begins to curl, and when it is dry on the mount, the whole thing cockles. I lay the mount on a table face downward and well dampen its back with a sponge. Then I lay the back of the print on the back of the mount and put them under slight pressure for a minute or two. This moistens the print just enough to let it lie limp when pasted, and the dampness of the back of the mount will counteract the strain of the paper in drying, and so the whole will dry flat.—Thomas Wood in Wilson's Photographic Magazine.

SOME of our Western railroads have been using weed burners to protect their tracks. One worked over 900 miles of track last year at a cost of \$2.35 per mile. The speed is very slow, being only 1½ miles an hour, and a barrel of oil is used for each mile. Compressed air is forced through the oil, forming a vapor which is ignited. This vapor is kept close to the track by a shield over it. The intense heat burns the weeds between the rails. Once at work, the shield is lowered within four inches of the rail, and when not in use it is raised to eighteen inches above the rail.

### Women in Science.

A complete treatment of this subject is to be found in a work by Rebière, "Les Femmes dans la Science," a second edition of which has just been published in Paris. In this edition Mr. Rebière has arranged in alphabetical order the names of all women who have publicly engaged in scientific work. From a brief résumé of this work by Senator Paolo Mantegazza, in Nuova Antologia (Rome), which The Literary Digest translates, we take the following data:

Maria Agnesi, at least for the Italians, is the most illustrious among women scientists. It was she who was called the oracle of seven languages. She was born in 1718 of noble parents. Among the letters of De Bosses we find the following description of a visit made by him to Agnesi: I entered into a grand and beautiful apartment, where I found thirty persons of all European nationalities in a circle about Signora Agnesi, who was seated under a canopy with her sister. She is a girl of eighteen or twenty years of age, neither plain nor beautiful, with a very sweet and simple air. The Count Bellini addressed a discourse in Latin to her, to which she responded with great vigor, continuing the discussion with him in the same language. She wrote a work on the theme that algebra and geometry are the only provinces of thought in which peace reigns. This was in two volumes, dedicated to Maria Theresa, and cost her ten years of work. It was for this that Pope Benedictus rewarded her by the gift of a rosary made of gems and a gold medal. Later he also called her as professor of mathematics to the University of Bologna. She afterward became a nun and died on the field of battle—that is, in her dear hospital—at the age of 81.

In 375, to Theon, professor of science in the celebrated school of Alexandria, a daughter was born. This was the distinguished Hypatia. It seems that in her early youth she went to Athens, where she attended the lessons of Plutarch the younger and his daughter, Asclepigena, who together directed the philosophical school. Leaving her country as a pupil, she returned as master, and the magistrates of Alexandria invited her to lecture in public. Later she taught mathematics and philosophy. She also taught geometry, algebra, astronomy, and several inventions are attributed to her, as the aerometer, planisphere, astrolabe, and the alembic. Her works were lost, but the historians attribute to her a commentary on the "Treatise on Conic Sections," by Apollonius; a commentary on the Arithmetic of Diophantus—the first algebraic works known; and an astronomical rule. No other woman has had greater glory. Beautiful, eloquent, with a voice which was called divine; honored, admired by all, Hypatia had many celebrated disciples, among them Synesius, who called her "my benefactress, my sister, my mother." After the most luminous glory came the most ferocious torture. At that time Alexandria was torn by religious strife, and three rival religions contested the ground—Judaism, Paganism and Christianity. In 415 she was dragged from her cart into the church of Cæsar, where she was stoned to death; then the poor limbs, lacerated and bleeding, were taken to Cinaron, the place of torture, where they were burned. We have no portrait of Hypatia, but all of us can imagine her with the luminous halo of a martyr to science.

Besides these two great stars, Hypatia and Agnesi, we can introduce a number of minor planets, all of whom revolved in the great heaven of mathematical and astronomical science. To Margaret Bryan, an English astronomer of the beginning of our century, we owe several works on astronomy, hydrostatics, etc.

Miss Clark is our contemporary. She was born in the south of Ireland, and is author of a "Popular History of Astronomy in the Nineteenth Century," which has already passed through several editions, and other astronomical works.

Maria Cunitz (1610-64), of Silesia, through her astronomical works published in 1650, merits her title of "the second Hypatia."

Sofia Germain, born at Paris in 1776, was said by Biot to be "probably the person of her sex who has most deeply penetrated into mathematics."

Caroline Herschel, sister of the great astronomer, passed entire nights with him observing the stars, aiding him most efficiently, and herself discovering comets. She died at the age of 98, in 1848.

Maria Margaret Kirch, born Winkelman (1660-1720), the wife of the astronomer, continued his work after his death, studying the skies. She published an important work on the conjunction of Jupiter and Saturn which took place in 1713.

Another illustrious woman astronomer is Dorothea Klumpke, born at San Francisco, who, after a splendid examination at the Sorbonne, became chief of the bureau for the photographic catalogue of the stars. She is a worthy rival of the celebrated Sofia Kowalevski, born at Moscow in 1853, who was the author of several famous mathematical works, made important discoveries in the science of the calculus, and was professor in the University of Stockholm, where she died in 1891.

Madame Lepante, the Greek astronomer, calculated

the annular eclipse of the sun which took place in 1764, for entire Europe. It was a woman, a Miss Maury, to whom we are indebted for the discovery of the periodic revolution of some of the fixed stars, observed by her for the first time in the observatory of Harvard College.

Maria Whitney was the pupil of the great astronomer, Maria Mitchell. The latter was born in the island of Nantucket, and at the age of 29 had already discovered a new comet. In honor of this discovery the King of Denmark sent her a gold medal and her admirers gave her a magnificent telescope. At the age of 47 she was called to the chair of astronomy at Vassar College, where she afterward became director of the observatory. She died in 1889.

Among the professors at Bryn Mawr College we find Carlotta Angas Scot, born at Lincoln, England, in 1858, who is one of the best living mathematicians.

Everybody has heard of Maria Somerville, who died at Naples in 1872 at the age of 92. Lord Brougham, wishing to render popular that great work by Laplace, "Mécanique Céleste," which was in five volumes, requested Miss Somerville to place this in accessible form. "The Mechanism of the Heavens" appeared in 1831, and was such a perfect work that Herschel is said to have read it with admiration, and only regretted that Laplace no longer lived to admire it. Miss Somerville not only occupied herself with astronomy, but with physical science. Among other works she published a physical geography, which was translated into many languages and ran through many editions. Serene, tranquil, happy, it is said that she never studied more than two hours a day, and to this fact is ascribed her long life of almost a century.

In addition to those already mentioned, Senator Mantegazza calls attention to Laura Bassi, of Bologna (1711-73); Saint Hildegond (1100-86); Sofia Pereyaslawzewa, celebrated for her original observations in comparative anatomy; the French anthropologist, Clémence Royer, and others.

### Some Drawbacks to the Use of Acetylene.

BY PROF. J. VERTESI.

While coal gas has had to struggle for a whole century before becoming the almost universal lighting agent, its rival, acetylene, has already—after only a short time—achieved a certain success. Of course acetylene is not a newly discovered body, but it is only since the economic production of carbide of calcium that it has become practicable as a lighting agent.

Theoretically the production of acetylene is a very simple matter, but such is not the case practically.

Carbide of calcium, as is well known, is a black, crystalline, very hard material, not decomposed by heat, but easily decomposed by water into acetylene and lime. It has a density of 2.2, and it is not soluble either in petroleum or in benzine.

Concentrated acids have no action on it.

Acetylene consists of a colorless gas, with a penetrating odor of garlic. Its density is 0.1; 1 liter of acetylene weighs 1.16 grammes. It is easily soluble in water, and can be liquefied at 0° under a pressure of 48 atmospheres. In this state it is very explosive. It burns with a white flame, without a dark cone; the temperature of this flame is lower than that of coal gas.

Unfortunately, lighting by acetylene still presents numerous difficulties, to which I am desirous of calling the attention of specialists and others, now that I have had the opportunity of examining the installation which supplies the town of Veszprim in Hungary.

Let us first consider the carbide, the source of all the trouble. This body is never pure, but always contains at least 20 per cent of impurities. Theoretically, 64 parts by weight of carbide should give 26 parts of acetylene, that is to say, that 1,000 grammes of carbide ought to produce 406.25 grammes of acetylene; and, as 1 liter of this gas weighs 1.16 grammes, we ought to get 350 liters. But the Continental factories will not guarantee a return of more than 300 liters, and practical experience shows that we can hardly depend on more than 280 to 290 liters. It is true that the estimation of the return is not free from causes of error, inasmuch as during the weighing the carbide absorbs a certain amount of moisture from the atmosphere; this causes a loss of acetylene, but the small errors which result, when calculated on 1,000 grammes of material, are multiplied in proportion. We are obliged to work with small quantities, seeing that only 100 grammes of material give off 30 liters of gas, and it is difficult to arrange graduated gas-holders to store such large quantities. Further, the carbide is so little homogeneous that several samples must be tested and examined in order to obtain a mean value. If, on the other hand, we only take 10 grammes, the error resulting from the disengagement of acetylene in the air will be multiplied one hundred times if the results are calculated, as they should be, on 1,000 grammes. I have examined the manner in which the carbide behaves in the presence of acids, and I found that concentrated sulphuric acid has no action on this body; but, no matter how little water the acid may contain, bubbles of gas are formed until the whole of the water is consumed. This property of the carbide of not being attacked by concentrated sulphuric acid enables

us to estimate its producing power of acetylene. I have made several experiments in this direction, and the results obtained were fairly correct and concordant.

I must here again mention that the carbide contains sulphur, phosphorus and nitrogen, from which it results that the acetylene will be contaminated with sulphureted hydrogen, phosphureted hydrogen and ammonia. The acetylene must, therefore, be purified to the same extent as is coal gas, for fear that its use in closed places might cause serious accidents.

But the greatest drawback of all is that acetylene burns with a smoky flame. Certainly the flame does not smoke at first, but after 200 or 300 hours smoke begins to be formed. This is caused by the burners attaining a temperature higher than that of the decomposition of the acetylene, and thus the gas is decomposed into carbon and hydrogen.

I have also noticed a very curious phenomenon in the gas pipes. I there found a deposit of finely divided carbon, like soot. I also found a very remarkable liquid condensation, consisting of carbides of hydrogen. These bodies are also formed in the generators, whence the necessity of using siphons. We thus see that it is quite erroneous to imagine that acetylene does not require purifying.

There is still another inconvenience resulting from impurities contained in acetylene. It is by no means uncommon to see, in a closed place, a sort of fog fill the room after a longer or shorter interval. What is the cause of this phenomenon? The acetylene is decomposed in the burner, the carbon is deposited while the hydrogen burns, giving rise to the formation of watery vapor; and it is this, in conjunction with the ammonia, the sulphureted hydrogen and the phosphureted hydrogen, which produces the fog, causing headache and nausea.—Chem. Zeitung, 1898, p. 174.

### The Climate Adapted to Tobacco.

In the report of the Virginia section for May, Mr. E. A. Evans, section director, gives a summary of our knowledge of the soil and climate adapted to raising tobacco. So far as climate is concerned, tobacco raising is profitable over a very wide extent of territory throughout the world. The range of climate that is found in the United States by no means exhausts the adaptability of the plant; in fact, with tobacco it is as much a question of soil as of climate. The climatic peculiarities of the regions in which the best tobacco is grown are not especially dwelt upon by Mr. Evans, but would make an interesting subject for study. The cultivated plant is evidently more susceptible to weather than the native tobacco of Virginia, and is, probably, the descendant of some variety imported by the early settlers, so that both soil and climate must be adapted to it. In general, the agriculturist labors to overcome the natural climate of any spot, and his resulting crop represents not the plant, or the soil, or the climate, but the intelligence of the skilled labor.

We hardly know how one should proceed in order to obtain botanical or agricultural material for a fair comparison between different climates as to their effect upon any given plant. The question of the relation between climate and crop belongs to the division of soils even more than to the Weather Bureau, since the meteorological climate must be considered in connection with the underground conditions. The roots have one climate, the leaves and the fruit have another; the crop results from a combination of both, with a very large admixture of agricultural skill.—Monthly Weather Review.

### The Current Supplement.

The current SUPPLEMENT, No. 1238, contains many articles of great interest. "The East India Village in the Vienna Zoological Gardens" is described and illustrated. "The Nature of Valence" is an important chemical article by F. P. Venable. "The Use of Acetylene Gas for Street Cars, Street Lamps and for Automobiles" is described and illustrated. "Pulque, Mexico's National Drink," is an illustrated article. "Zoological Discoveries in Carthage" is the continuation of an article begun last week and describes the Punic necropolis. "Outline History of Brick Making" contains many curious facts. The "Blake," the first large cruiser of the British navy, is fully illustrated by sectional views. "Russia's Great Naval Enterprise" is an elaborate article. "The Catalogue of Science" gives particulars of the new schemes which are being made for an international catalogue of all scientific literature.

### Contents.

(Illustrated articles are marked with an asterisk.)

|                                                  |          |                                                  |               |
|--------------------------------------------------|----------|--------------------------------------------------|---------------|
| Acetylene, drawbacks to use of.....              | 204      | "Great Eastern" and the "Oceanic".....           | 202           |
| American Association meeting.....                | 198      | Money spent by travelers.....                    | 194           |
| Barometer, camphor.....                          | 202      | "Oceanic".....                                   | 194, 200, 201 |
| Bridge destroyed by electricity.....             | 198      | Peary, news of Lieut.....                        | 195           |
| Bromide enlarging.....                           | 203      | Polaris, observations of.....                    | 195           |
| Brooklyn Navy Yard, danger in approaches to..... | 194      | Porto Rico's hurricane.....                      | 200           |
| Carbon, resistance of.....                       | 198      | Prints, reduction of.....                        | 202           |
| Coast and geodetic survey vessel.....            | 197      | Roller bearing.....                              | 197           |
| Corn crop, new way to use the.....               | 194      | Rotary engine.....                               | 197           |
| Cuba, financial problems of.....                 | 194      | "Shamrock," disabling of.....                    | 203           |
| Ebony of the ancients.....                       | 196      | Telegraphy, wireless, to report yacht races..... | 194           |
| Educational systems for young men.....           | 197      | Tire, vehicle.....                               | 197           |
| Fire fighter.....                                | 198      | Tobacco, climate adapted to.....                 | 204           |
| Fireproofing wood.....                           | 193, 198 | Twentieth century calendar.....                  | 195           |
| Forestry, government aid in.....                 | 195      | Wireless telegraphy during naval maneuvers.....  | 197           |
| Fossil discoveries.....                          | 196      | Women in science.....                            | 204           |
| Gold, moving.....                                | 196      | Wood, fireproofing.....                          | 193, 198      |



## RECENTLY PATENTED INVENTIONS.

## Agricultural Implements.

**STRAW-STACKER.**—HERMAN STEIN, Georgetown, Minn. This straw-stacker can be applied to any thrashing-machine, and is so constructed that a current of air drawn from the outside of the stacker will be directed beneath the falling chaff and straw, thus facilitating the passage of the chaff and straw through the flue connected with the receiving-chamber and out through a chute connected with the flue. The chute is adjustable laterally or vertically, and is provided with a hood which directs the straw and chaff.

**MACHINE FOR CLEANING GRAIN.**—NORTON BROOKER, Agency, Mo. The machine is of the rotary type, and is adapted to discharge the chaff and bulky refuse from the tail end and to deliver the smaller seed and dust to a chute at the exterior of the reel into which the grain is fed, the good grain being retained in the reel and delivered automatically to outlets from whence it may be conducted to any desired point. Particular attention has been paid to the mechanical construction of the apparatus, so that its operation will be accompanied by no excessive friction.

## Electrical Apparatus.

**AUTOMATIC CODE TELEGRAPH FIRE-ALARM APPARATUS.**—RICHARD PEARSON, London, England. This invention is essentially concerned with the testing of the circuits upon which automatic fire-alarm instruments are installed, the purpose being to enable the whole of the alarm mechanisms upon the same circuit to be separately tested by momentarily closing a testing-circuit at the fire-engine station, so that personal inspection of the several installations is unnecessary. The test may be repeated at such frequent intervals as to insure immediate detection of any injury to the circuits or instruments.

## Mechanical Devices.

**LOG-SAWING MACHINE.**—SAMUEL W. BUTTERFIELD, Three Rivers, Canada. The machine is provided with a feeding device for the log and with a lever mounted to swing up and down under the control of the operator. In the free end of the lever a circular saw is journaled and adapted to pass transversely of the feeding devices. The end of the log abuts against a movable stop and is actuated from the lever. A movable block-kicker is normally held in a locked position and out of engagement with the front end of the log, the kicker being automatically unlocked by the lever at about the time the saw has passed through the log and the stop has been withdrawn to allow the kicker to move the cut-off block from the feeding device.

**CYCLOMETER.**—JAMES E. BEAN, Fond du Lac, Wis. The cyclometer is arranged to indicate simultaneously the number of miles traveled during the season and the number of miles of the individual trips made at the time. The mechanism comprises independent sets of numeral-wheels and a star-wheel adapted to be driven from the bicycle-wheel. The cyclometer is provided with a shaft carrying two pinions, each geared with a set of numeral-wheels. A worm engages one of the gear-wheels of the shaft and is driven by gearing from the star-wheel.

**AUTOMATIC DEAD-LATCH LOCK.**—W.G. RAINES, 148 West 125th Street, Manhattan, New York city. In dead-latch locks it is customary to provide a detent which drops behind some portion of the bolt to prevent its withdrawal after the door is closed, except by a key. This invention provides a peculiar construction and arrangement of the parts of a lock of this kind, which may be set into operative engagement by the departing person, thus rendering the locking-detent automatic, locking the latch as each person goes out, and yet permitting the door to be opened with a latch-key.

## Railway-Appliances.

**RAIL-JOINT.**—GERMAN L. BAXTER, Lexington, Ky. It is the object of this invention to provide means for supporting the joint at the ends of the rails and to bind rails together in such a manner that the joint cannot be displaced, thus preventing the shock due to dropping of the joints. The rail-joint used is of the suspension kind and is provided with a cross-bar which engages the under sides of the rails.

## Miscellaneous Inventions.

**THILL-COUPLING.**—GEORGE W. DAVIS, Gilesum, N. H. The inventor has so constructed his thill-coupling that when the draft-animal is removed, the thills will be automatically carried up to a position of rest. The coupling permits the thills or shafts to be readily removed and replaced whenever necessary, and possesses the merit of being noiseless under all conditions of travel.

**ACETYLENE-GAS GENERATOR.**—ARTHUR RIEFFEL, Boulevard Exelmans 42, Paris, France. In this apparatus for the automatic production of acetylene gas, the column of feed-water for the gas-generating part of the apparatus is kept very much at the same height above the generator, and the water is fed intermittently and automatically to the gas-generator, according to the consumption, by means of a device which relieves the bell-shaped top of the gasometer when it descends and weights it when ascending, so that the top exercises on the gas a pressure which is inferior or superior to the load in the feed-water column.

**BOTTLE-CLOSURE.**—WILLIAM D. KILBOURN, Pueblo, Colo. The closure is designed particularly for bottles containing liquid under pressure, and comprises a hollow expansible stopper in which a plunger moves. The plunger is connected with an anchoring-piece from which arms extend having teeth and engaged by a clamping-ring. The closure is tightly held in place and hermetically seals the neck.

**BLIND-FASTENER.**—EDWARD HUGHES, New Bedford, Mass. This fastener is designed to be attached to a building so that the latch carried by the shutter will automatically effect a locking engagement therewith. The fastener will automatically exert tension between itself and the blind, when the blind is to be locked to a wall, thus preventing accidental closure. The fastener is provided with more than one keeper for the blind latch, thus enabling it to be used even should one keeper break.

**LOCKING DEVICE.**—HOSEA M. GODFREY, Lovell, Wyo. The present invention provides a locking device for use on singletrees, doubletrees, cockeyes, cranks and the like. The locking device has two parts, one of which is provided with a shank having an inner and outer lug, and the other of which is provided with a bore grooved to permit the passage of the shank. One face of the bored part has a shoulder for the inner lug to rest against in order to limit the turning of the shank in the bore.

**HAND-SHIELD.**—MELVILLE F. BARTH, Indianapolis, Ind. This hand-shield is designed to protect the wearer's hands while engaged in outdoor work or amusements, particularly in riding the bicycle. The shield may be manufactured of thin leather, silk fabric, canvas, or any other suitable material, and to suit the demands of the trade graded sizes are to be furnished to fit upon the hands of men, youths, or women.

**GARMENT-SUPPORTER.**—WILLIAM W. CARDER, Oldtown, Md. The supporter is especially adapted for hanging trousers and may be applied with equally good results to thick and to thin garments. The device is light and strong, is so constructed that the weight of the garment when the supporter is hung up will tend to increase the clamping action of the jaws of the device. The hanger will remain in a fully open position until intentionally closed.

**UMBRELLA.**—ELISA A. and EDWARD DE BIAGGI, Manhattan, New York city. The invention provides a means for preventing umbrellas from turning inside out in high winds and from being injured by contact with other objects while in use. The umbrella has a handle or stem on which a crown is rotatable provided with longitudinal slots in its upper portion. A cover is fastened to the crown; and upon the fastening means a washer rests having inward projections engaging the slots of the crown. A bell surrounds the slotted upper portion of the crown, engages the washer, and is prevented from moving longitudinally.

**AMUSEMENT DEVICE.**—GEORGE C. TILYU and JEAN M. A. LACOMME, Coney Island, Brooklyn, New York city. The object of the invention is to attract and amuse people by the novelty of the sensations produced by the use of the device. The apparatus consists essentially of two concentric cylinders, the inner one being provided with seats and pivotally supported upon a shaft, so that it will remain in approximately the same position at all times, the center of gravity being below the shaft and the outer cylinder being mounted to turn about the inner cylinder. The device is provided with mechanism by which the seats within the inner cylinder are given vertical reciprocations.

**MANUFACTURE OF MANTLES OR INCANDESCENT ELEMENTS FOR GAS-BURNERS.**—OTTO B. HEINZE, Baltimore, Md. The inventor has devised a process whereby incandescent mantles are practically rendered indestructible without impairing their illuminating quality, are rendered flexible and firm after ignition, and are prevented from shrinking when in use. The inventor thinly coats the surface of the refractory material of which the mantle or element is composed with a vitreous body and heats the mantle or element to fuse the coating with the refractory porous mass of the mantle or element.

**RETOUCHING-FRAME.**—JOHN N. CHOATE, Carlisle, Pa. A novel effect can be produced in retouching negatives by means of vibrations imparted to the negative itself instead of to the retouching-pencil or the hand of the retoucher. The present invention provides an apparatus for this purpose, comprising a frame and a clamp adapted to support the negative out of contact with the adjacent portions of the frame. A hammer is made to strike the clamp and thus impart vibration thereto and to the negative, independently of the frame.

**HUNTING-KNIFE.**—WILLIAM J. SHELTON, Columbia, Tex. It is the object of this invention to provide a knife with which a wire-cutter is connected, so as to render the knife useful in cutting through wire fences. The blade is formed with a recess in which a lever is pivoted formed with corresponding recesses. To the lever and blade, cutting-disks are secured having cutting-recesses. In cutting wire, the knife is placed with the cutting-edges of the disks embracing the wire; and the lever is pressed toward the handle of the knife to cut the wire. When one set of cutting edges becomes dull, another set may be brought into register with the proper recesses.

## Designs.

**DRAINER.**—COURTLAND HAYNES, Hawesville, Ky. The leading feature of the design is found in the especial shape of the drainer, in which the bottom is in the same horizontal plane throughout and the back is a straight line from side to side. The sides are parallel and straight from the back to a point near the front, from which point the sides gradually converge and meet a straight line defining the front of the drainer.

**PLATE.**—AUGUST A. GRAMETBAUR, Manhattan, New York city. The plate has a central panel containing a picture of Admiral Dewey. Surrounding the central panel are portraits of the commanders of the Manila squadron. The outer border of the plate contains pictures of the various vessels of Dewey's squadron.

**LAP-ROBE.**—MAGGIE B. SHOWN, Macon, Mo. The principal characteristic of this design is found in widened portions flaring outwardly.

**SPOON.**—WILLIAM A. RAYMENT, Taunton, Mass. Two designs for a spoon have been issued to this inventor. In the one design the handle is bent or bowed back and under and has its extremity lapped against the inner side of the handle, near the juncture of the latter with the bowl. In the other design the handle is curved to return upon itself, with its free end lying below the upper portion of the handle and detached therefrom and from the bowl of the spoon.

**SPOON.**—WILLIAM MCAUSLAND, Taunton, Mass. The spoon is characterized by a handle returned or bent down, the portion below the bend being curved reversely.

**NOTE.**—Copies of any of these patents will be furnished by Munn & Co. for ten cents each. Please state the name of the patentee, title of the invention, and date of this paper.

## Business and Personal.

The charge for insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in the following week's issue.

Marine Iron Works. Chicago. Catalogue free.

For hoisting engines. J. S. Mundy, Newark, N. J.

"U. S." Metal Polish. Indianapolis. Samples free.

Gasoline Brazing Forge, Turner Brass Works, Chicago.

Yankee Notions. Waterbury Button Co., Waterbury, Ct.

Handle & Spoke Mch. Ober Mfg. Co., Chagrin Falls, O.

Hook and Eye Patent for Sale. F. J. Rappold, Erie, Pa.

"Dies and Die Making." \$1. Send for index sheet.

J. L. Lucas, Bridgeport, Conn., E. S.

Machine Work of every description. Jobbing and repairing. The Garvin Machine Co., 141 Varick St., N. Y.

Ferracute Machine Co., Bridgeton, N. J., U. S. A. Full line of Presses, Dies, and other Sheet Metal Machinery.

Machinery for R. R. contractors, mines, and quarries, for hoisting, pumping, crushing, excavating, etc., new or 2d-hand. Write for list. Willis Shaw, Chicago.

The celebrated "Hornsbey-Akroyd" Patent Safety Oil Engine is built by the De La Vergne Refrigerating Machine Company. Foot of East 138th Street, New York.

The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins. By mail, \$4. Munn & Co., publishers, 361 Broadway, N. Y.

Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway, New York. Free on application.

## Notes &amp; Queries

## HINTS TO CORRESPONDENTS.

**Names and Address** must accompany all letters or information and not for publication. **References** to former articles or answers should give date of paper and page or number of question. **Inquiries** not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and though we endeavor to reply to all either by letter or in this department, each must take his turn. **Buyers** wishing to purchase any article not advertised in our columns will be furnished with addresses of houses manufacturing or carrying the same. **Special Written Information** on matters of personal rather than general interest cannot be expected without remuneration. **Scientific American Supplements** referred to may be had at the office. Price 10 cents each. **Books** referred to promptly supplied on receipt of price. **Minerals** sent for examination should be distinctly marked or labeled.

(7721) A. C. says: Please let me know if you can furnish me any information about mineral rods. I inclose ten cents for any number of your paper that gives a description of same. I have recently seen one and I do not know much about them; they to me look like a swindle on the order of the general run of such things. (A play upon ignorance.) Thinking you might be able to enlighten me on the subject I write you. A. We are constantly in receipt of inquiries from our correspondents regarding mineral or divining rods which are also called by a number of other names. We wish to warn all our readers against these fraudulent rods with which the market is flooded. No mineral or divining rod ever yet located a penny's worth of gold or silver and never will, as these metals do not act upon a magnetic needle. Our subscriber is entirely correct in considering that they are a play upon ignorance and we have already published a full article showing the fallacy of the divining rod. It ought to be readily seen that if such an instrument was made that the owner of it would not part with it for millions as he could use it in locating valuable mining properties.

## INDEX OF INVENTIONS

For which Letters Patent of the United States were Issued for the Week Ending

SEPTEMBER 12, 1899.

## AND EACH BEARING THAT DATE.

[See note at end of list about copies of these patents.]

Acid derivatives, making uric, F. Ach. 632,828  
Adjustable seat, T. B. Mason. 635,021  
Album with detachable pictorial post cards, J. Philipp. 632,788  
Annealing furnace, wire, E. E. Douglass. 632,836  
Anode, A. L. Walker. 633,056  
Boat, hauled, F. J. Stepien. 632,765  
Automobile, W. R. C. Corsi. 632,965  
Axe and journals, means for reducing friction of, W. J. Brewer. 632,693  
Badge fastener, J. P. A. Petsch. 632,845  
Bath apparatus, vapor, E. A. Butts. 632,802  
Battery cell, voltaic, H. de Ruz de Lavison. 632,873  
Bearing device, adjustable ball, E. W. McGuire. 632,878  
Bearing, oscillating, H. B. Keiper. 633,096  
Bearing, roller, P. M. St. Louis. 633,053  
Bearing, shaft, B. E. Foss. 632,995  
Bed and douche pan, D. Hogan. 633,004  
Bed, folding metal, H. T. Dyett. 632,705  
Bell, bicycle, T. Miller. 632,819  
Bell, door, J. D. Ratliff. 632,824  
Belt, conveyor, J. J. Ridgway. 632,750  
Bicycle, T. W. Dixon. 632,807  
Bicycle, G. Van Horn. 632,797  
Bicycle lamp bracket, Walbel & Meyrodt. 632,858  
Bicycle packing case, W. Bylandt-Rheydt. 632,070  
Bicycle pump, K. Buxbaum. 632,696  
Bicycle pump, automatic, P. Hanson. 632,784  
Bicycle rest, A. G. Shields. 633,046  
Bicycle sled attachment, A. Nelson. 633,030  
Bicycle support, E. E. Josef. 633,010  
Bicycle support, H. H. Perkes. 633,036  
Bicycle support and tire cleaner, Batten & Maul. 632,800  
Bib, child's, C. A. Blank. 632,863  
Blind slot rod, J. P. Kooy. 633,013  
Blouse or waist and skirt and belt connector, M. Lang. 632,923  
Boat adapted to operate on land or in water, J. P. Boulesque. 633,065  
Boiler, R. W. Jacobs. 632,720  
Boiler cleaner, mechanical, F. W. Hornish. 632,785  
Boiler flue, tubular, A. Taggart, Jr. 632,951  
Book, bank account, Weaver & Jarmerter. 632,769  
Book, blank, F. H. Hertz. 632,944  
Book, deposit and check, G. H. Rogers. 632,752  
Bottle cork fastener, E. C. Akers. 632,981  
Bottle filling machine, E. R. Klemm. 632,724

Bottle, non-refillable, J. Biesel. 632,956  
Bottle, non-refillable, J. Cress. 632,946  
Bottle, non-refillable, S. P. B. Robins. 632,751  
Bottle, paste, G. P. Cragin. 632,806  
Bottle stopper, J. W. Dawson. 633,094  
Brick for level floors and ceilings, etc., hollow, P. Rowland. 633,044  
Bridge, W. L. Brayton. 632,985  
Brush, Raymond & Beal. 632,748  
Brush, clamping, Sell & Maynard. 632,793  
Buckle, harness, J. A. Gavitt. 632,996  
Buffer, Alma & Weiss. 632,688  
Button, S. A. Koltonski. 633,097  
Calendering machine, E. Geesner. 632,714  
Call system, electric, H. M. Dumas. 632,964  
Can body hanging device, A. Lotz. 632,840  
Car coupling, J. Culton. 632,701  
Car coupling, I. J. Hoyt. 632,686  
Car coupling, W. L. Stonesifer. 632,904  
Car coupling, Yeiser & Hancock. 632,861  
Carbonating apparatus, J. Walter. 633,057  
Card case, P. Hufeland. 633,006  
Card clothing for fancy rolls, J. H. Crowther. 632,688  
Carding machine condenser attachment, C. D. Ingraham. 632,871  
Carpet fastening device, E. D. Berry. 632,911  
Case. See Bicycle packing case. Card case. 632,774  
Caster, J. W. Bateman. 632,692  
Chain, watch, S. O. Bigney. 632,692  
Chair, D. J. Bigelow. 632,832  
Chair, H. W. Bolens. 632,775  
Chair, S. W. Johnson. 633,087  
Chairs, cradles, etc., automatic fan attachment for rocking, E. Griffith. 633,001  
Churn, G. A. Norcross. 633,100  
Cigar vending machine, coin operated, G. Wilhelm. 632,798  
Cigarette machine, F. E. Zeigler. 632,883  
Cigarette making device, J. B. Popenhagen. 633,038  
Cloth pressing machine, bed plate for rotary, D. Gessner. 632,837  
Clothes drier, F. S. Grant. 632,899  
Clothes line, pinless, J. R. Bolton. 632,889  
Coat bod, ash, for, L. St. Clair. 632,854  
Coffin handle, F. Chillingworth. 632,914  
Coins or checks, making bimetallic, G. G. Greenburg. 632,938  
Collapsible seat and headrest, Kidd & Depue. 632,012  
Comb cleaner, J. M. Black. 632,935  
Concentrator, J. Woodham. 633,039  
Conductors through conduits, clip for drawing, J. O'Brien. 633,067  
Cork drawing device, H. E. Peterson. 632,742  
Corset busk fastener, A. F. Chesney. 633,073  
Coupling. See car coupling. Thill coupling. 632,738  
Covering for bodies impelled through water, J. O'Hara. 633,033  
Cultivator, G. W. Noble. 632,730  
Cup. See Invalid cup. 632,730  
Currycomb, N. L. Lodahl. 632,730  
Curtain fixture, A. J. Slack. 632,048  
Curtain stretcher, H. A. Book. 632,867  
Cycle chain adjusting device, H. Ganswindt. 632,711  
Cycle steering apparatus, R. C. Ayton. 633,063  
Damper mechanism for furnaces, time, M. I. Hain. 632,939  
Dash pot and actuating cylinder, G. B. Petsche. 632,744  
Dental forceps, B. McGhee. 632,884  
Desk, writing, J. P. L. Nilson. 632,924  
Door, F. J. Cronin. 632,700  
Door catch, Norton & Hinkley. 632,946  
Door check and closer, P. J. Lennart. 633,015  
Door check, liquid, C. O. Case. 632,697  
Door securer, F. M. Crane. 633,085  
Draught mechanism, P. Brown. 632,912  
Draining rack, J. N. & J. T. Firth. 632,869  
Dress shield, A. C. Squires. 632,885  
Drier. See Clothes drier. Sand drier. 632,921  
Drilling machine, portable, H. S. & C. E. Glenn. 633,003  
Drum, heating, T. Hoff. 633,043  
Drying apparatus, J. Howe. 632,943  
Egg beater, H. T. Crepeau. 632,780  
Electric brake, J. E. Williamson. 632,932  
Electric fixtures detachable connection for, S. G. Read. 633,039  
Electric indicator, F. B. Pope. 632,970  
Electric lock, J. R. Francis. 632,868  
Electric meter, E. Oxley. 632,739  
Electric switches, automatic device for operating, I. Deutsch. 633,086  
Electrical conductor conduit, M. O. Spring. 632,973  
Electrode, M. Wulot. 632,867  
Elevating machine, hydraulic, S. L. Berry. 632,829  
Enameling steel or homogeneous iron, W. F. & G. W. Niedringhaus. 632,737  
Engine. See Explosive engine. Gas engine. Rotary engine. Rotary power engine. Rotary steam engine. 632,746  
Engine and dynamo, combined, C. C. Cowan. 632,896  
Engine and dynamo electric machine, combined, C. C. Cowan. 632,897  
Engine controlling and regulating mechanism, T. H. Hicks. 632,716  
Engine driving gear, gas or petroleum, P. P. Treano. 632,743  
Engine stop mechanism, L. St. Peter. 633,060  
Everer, three-horse, R. C. Harris. 632,899  
Explosive engine, C. R. Daellenbach. 632,917  
Explosive engine, J. Walrath. 632,859  
Extracts, making nutritive, O. G. C. L. J. Overbeck. 632,968  
Fabric. See Roofing fabric. 632,740  
Fan, ventilating, H. L. Parker. 632,740  
Farrier's knife, T. J. Pope. 632,846  
Faucet, E. Randolph. 632,747  
Feed water heater, steam, M. N. Forney. 632,708  
Fence machine, wire, A. B. Probasco. 632,746  
Fence post, O. Andrew. 633,062  
Fence post, J. S. Mullenix. 632,946  
Fence spacing device, wire, J. T. Collins. 632,887  
Fence, wire, F. H. Metcalf. 633,040  
Fifth wheel, J. H. Gresson. 632,590  
Filter, C. L. Holland. 632,590  
Fire escape, L. A. Boehme. 632,692  
Fire escape, H. H. Clinton. 632,893  
Fire escape, E. P. Feiker. 632,993  
Fire escape, F. M. Foster. 632,940  
Fire extinguishing apparatus, H. F. Dunham. 632,702  
Fish hook, J. E. Daugherty. 633,061  
Fishing alarm device, H. Perrin. 632,823  
Floor construction, R. D. Gallagher. 632,710  
Flower pot, E. S. Williams. 632,978  
Fluid compressor, C. F. & H. L. Schneider. 632,765  
Fly paper, sticky, W. Thum. 632,827  
Foot warmer, locomotive engineers', M. McCune. 632,577  
Furnace heat regulating attachment, C. P. Caldwell. 632,803  
Gage. See Pressure or vacuum gage. 632,777  
Game board, F. A. Crandall. 633,058  
Game counter, J. J. Wilkens. 633,050  
Garment stretcher, M. L. Spenard. 632,753  
Garment supporter, M. S. Rodgers. 632,894  
Gas burner, hydrocarbon, R. D. Cody. 632,884  
Gas engine, S. A. Ayres. 632,888  
Gas engine, E. Burger. 632,913  
Gas engine, Hay & Bullock. 632,814  
Gas engine, H. Smith. 632,762  
Gas engine, explosive, H. Smith. 632,763  
Gas generating apparatus, acetylene, E. Henriquez. 632,940  
Gas generating heater, hydrocarbon, C. Rutkoskie. 632,881  
Gas generator, T. H. J. Leckband. 632,817  
Gas generator, acetylene, F. A. Miller. 633,098  
Gas generator, acetylene, W. F. Mudge. 632,027  
Gas generator, acetylene, L. F. Rose. 633,043  
Gas generator, acetylene, J. K. Rush. 632,913  
Gas generator, acetylene, A. F. Schulz. 632,757  
Gas heater, H. Adler. 633,011  
Gas, making, H. Neumann. 633,031  
Gate. See Railway crossing gate. 632,853  
Gearing, F. W. Mase. 632,875  
Gearing, V. V. Jorbenen. 632,886  
Generator. See Gas generator. 632,885  
Golf club, H. R. Sweny. 632,885  
Grain, etc., automatic sampling apparatus for, C. Geissler. 632,713  
Grain scouring machine, C. H. Bidwell. 632,828  
Gun, blow, J. T. Miller. 633,054  
Handle bar, W. J. Tanner. 633,054  
Harness, J. Reel. 633,041  
Harrow, H. H. Burdick. 632,777  
Hat, coat, and umbrella holder, combination, D. Rabinowitz. 632,880  
Hat forming machine, R. J. Lynch. 632,841  
Heater. See Feed water heater. Gas heater. Gas generating heater. 632,958  
Heating system, Bosley & Wurdack. 632,726  
Heddles to shafts, means for attaching, K. Kurmann. 632,726  
Hinge, G. W. Cum. 632,833  
Hinge, spring, A. Robinson. 632,850  
Hoisting drum, E. W. Wiley, Jr. 632,910  
Holdback clasp or check loop for vehicles, C. Teeter. 632,953  
Hook. See Fish hook. Safety hook. 632,980  
Horseshoe, Coats & Sponenburgh. 632,786  
Horseshoe, soft tread, H. Lagerquist. 633,069  
Hose nozzle, J. Busha. 633,049  
Hot plate, J. K. Smith. 632,856  
House. See Smoke house. 632,856  
Ice cream freezer, S. Sweeney. 632,856  
Incandescent lamp, C. E. Stassny. 632,062  
Indicator. See Electric indicator.


(Continued on page 206)

## Advertisements.

## ORDINARY RATES.

Inside Page, each insertion, - 75 cents a line  
Back Page, each insertion, - \$1.00 a line  
For some classes of Advertisements, Special and Higher rates are required.

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may be advertised at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.



**Star Lathes**  
Foot power  
Screw...  
...cutting  
Automatic  
Cross feed  
9 and 11-inch Swing.  
New and Original Features  
Send for Catalogue B.  
Seneca Falls Mfg. Company.  
695 Water St., Seneca Falls, N.Y.

**AMERICAN PATENTS.—AN INTERESTING** and valuable table showing the number of patents granted for the various subjects upon which petitions have been filed from the beginning down to December 31, 1894. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1002. Price 10 cents. To be had at this office and from all newsdealers.

**POWER & FOOT LATHES.** SHAPERS, PLANERS, DRILLS, AND SUPPLIES. CATALOGUE FREE.  
SEBASTIAN LATHE CO. 120 CULBERT ST. CINCINNATI, O.

**Foot Power and TURRET LATHES.** Planers, Shapers, and Drill Presses.  
SHEPARD LATHE CO., 133 W. 2d St., Cincinnati, O.

**Walworth's Solid Die Plate**  
The Standard  
Price List on application to  
WALWORTH MFG. CO., 20 Oliver St., BOSTON, MASS.

**Water Emery Tool Grinder**  
Has no pumps, no valves. No piping required to supply it with water. Always ready for use. Simplest in construction, most efficient in operation.  
Send for catalogue and prices.  
W. F. & JNO. BARNES CO.  
1999 Ruby St., Rockford, Ill.

**ADVANTAGES OF Our Patent Cold Process of Galvanizing Cut and Wire Nails.**  
Very low cost, smooth surface, coating will not crack off heads or elsewhere, no sticking together. Orders received. Estimates and information furnished to manufacturers upon application for plants to galvanize nails or other articles under license on royalty basis. Inspection of process in operation at our plants is invited. See article in SCIENTIFIC AMERICAN, April 22, 1899.

U. S. Electro Galvanizing Co., 346 Broadway, New York.

**NICKEL AND Electro-Plating Apparatus and Material.**  
THE HANSON & VAN WINKLE CO.,  
Newark, N. J.,  
136 Liberty St., N. Y.  
30 & 32 S. Canal St. Chicago.

**CRITERION**  
Acetylene Gas GENERATORS  
SAVE 50% in lighting buildings of every description, anywhere. Any capacity. From \$15 up.  
Send for New Catalogue.  
J. B. COLT & CO., DEPT. N.  
3-7 West 29th St., New York.

**"Universal" Kneading and Mixing Machines**  
Over 600 in use. Over 300 varieties in 155 different countries. Patented in all countries.  
WERNER & PFLEIDERER  
Saginaw, Mich. Builders of all kinds of Chemical Machinery, also at Cannstatt, London, Vienna, Berlin, Paris and Moscow.  
83 Highest International Awards

**Queen's Patent "Triple Plate" Toepler-Holtz Electrical Machine.**  
Can be used at all times of year and in all kinds of weather. Prices range from \$25 to \$50. Circular on application. We carry a complete line of Electrical Instruments and Apparatus.  
QUEEN & CO., Inc.  
1010 Chestnut St. Philadelphia, Pa.

**ACETYLENE APPARATUS**  
Acetylene number of the SCIENTIFIC AMERICAN SUPPLEMENT, describing, with full illustrations, the most recent, simple or home made and commercial apparatus for generating acetylene on the large and small scale. The gas is made for and used by the microscopist and student; its use in the magic lantern. The new French table lamp making its own acetylene. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1057. Price 10 cents prepaid by mail. For other numerous valuable articles on this subject we refer you to page 21 of our new 1897 Supplement Catalogue, sent free to any address. MUNN & CO., 361 Broadway New York.

**PERFORATING CO.**  
PERFORATED ZINC OF CLEANING OF GRAIN & C. FOR ANY SIZE & SHAPE SHEET-METALS OF HOLE ALL PURPOSES  
225 NORTH-UNION ST. CHICAGO, ILL. U.S.A.

Indexical card list, Shaw & Wilson..... 632,758  
Insole creasing and flanging mould, G. W. Sleeper..... 632,760  
Insulator for leading-in wires of signal boxes, G. W. Butler..... 632,635  
Insulator, bedstead, W. Sellers..... 632,851  
Insulator for trolley wire supports, J. W. Meaker..... 632,733  
Invalid cup, D. N. Akard..... 632,887  
Invalid raising or lowering apparatus, Spicer & Snyder..... 633,051  
Jack, C. W. Doane..... 633,084  
Joint. See Last joint.  
Key and keyway, P. T. Snyder..... 633,107  
Knife. See Farrier's knife. Pocket knife.  
Knitting machine, Lasher & Beach..... 632,872  
Lacing, P. J. Congdon..... 632,699  
Lamp, acetylene gas generating, W. A. Voncanon..... 632,887  
Lamp, electric arc, T. M. Foote..... 632,707  
Lamp, hanging, C. Maschmeyer..... 632,886  
Lamp, petroleum incandescent, C. C. Bruckner..... 632,761  
Lamp, street, H. F. Smith..... 633,079  
Lantern, signal, T. M. Crepar..... 632,944  
Last joint, A. G. Fitz..... 633,008  
Latch, gate, W. A. Jeffers..... 633,105  
Lathe, turret, J. W. Meaker..... 632,887  
Letter box, street, J. N. Clouse..... 632,963  
Lever transmission, toggle, L. M. Dieterich..... 632,735  
Liquid distributor, F. W. Stoddard..... 632,959  
Lock. See Electric lock. Pneumatic lock.  
Lock, J. Clement..... 632,959  
Locomotive, mine, Barnes & Hensley..... 633,083  
Locomotive sand distributor, R. Diem..... 632,704  
Log binder, R. Fantroy..... 632,975  
Loom, P. E. Victory..... 632,834  
Loom beddle, J. Cocker..... 633,020  
Loom weaving mechanism, D. J. MacDonald..... 632,842  
Mail bag, J. R. May..... 632,796  
Mail box, J. A. Tilly..... 632,815  
Mail box, collection and delivery, W. H. Kessler..... 633,034  
Mail collector's recorder, J. D. Miller..... 632,901  
Match machine, L. P. Hawkins..... 632,781  
Matches, manufacture of paper friction, J. Dela Mar..... 632,723  
Material, manufacture of artificial, E. Kingscote..... 633,002  
Measurer, loom cloth, Jensen & Comar..... 632,965  
Measuring machine, E. H. Parks et al..... 633,102  
Mechanical movement, C. L. & C. L. Kline, Jr..... 632,725  
Menu, duplex, S. Billow..... 632,957  
Meter. See Electric meter.  
Mill. See Pulverizing mill.  
Moistener, stamp, A. Niederer..... 632,967  
Moistening, closing, and sealing envelopes, machine for, J. Dupont..... 632,991  
Motion and power transmitting mechanism, A. C. Tanner..... 632,952  
Motor. See Wave motor.  
Music cabinet, J. T. Phillips..... 632,925  
Musical instrument, N. Sullio..... 632,855  
Necktie, G. Selowsky..... 632,044  
Needle threader, J. Darling..... 633,080  
Negative rack, J. W. Meaker, Jr..... 632,876  
Nut lock, R. Campbell..... 633,093  
Oil burner, J. M. O'Connell..... 632,822  
Oiler, axle, C. T. Connor et al..... 633,076  
One concentric, C. L. & C. L. Kline, Jr..... 632,688  
Organ, pneumatically operated, M. Clark..... 633,029  
Oven plate, rotary, O. G. Naquin..... 633,042  
Packing, piston, W. Roadman..... 632,948  
Pan. See Bed and douche pan.  
Paper feeding machine, C. Rymtowitz-Prince..... 632,916  
Paper trimming machine, B. W. Comfort..... 632,735  
Permutation lock, J. H. Morris..... 632,865  
Petroleum burner, C. C. Bruckner..... 632,736  
Photographic films, holding and spacing device for, H. W. Munsey..... 632,705  
Pipe hanger, Fee & Mason..... 632,950  
Piston, N. T. Remy..... 632,789  
Pith from stalks of plants, apparatus for removing, N. T. Remy..... 632,717  
Planter, check row corn, Hughes & Hindman..... 632,835  
Pliers, W. Cronk..... 633,025  
Plow, cultivator, R. T. Morgan..... 632,041  
Plow frames, etc., lift for, C. E. Wheeler..... 632,857  
Plow point, E. L. Troup..... 632,690  
Pneumatic dispatch system, B. C. Batcheller..... 632,792  
Pocket knife, J. A. Schmidt..... 633,022  
Polish, furniture, W. T. Meade..... 633,091  
Pot. See Flower pot.  
Potato digger, J. E. Baird..... 632,944  
Power transmitting mechanism, B. Jansen..... 632,942  
Press. See Printing press.  
Pressure or vacuum gage, E. Hervais..... 632,808  
Pressure regulator and connection, H. M. Dunlap..... 632,783  
Printing blocks, apparatus for applying bushings to, K. L. Farr..... 632,766  
Printing press, A. R. Stone..... 633,072  
Pulp board making machine, A. W. & L. W. Case..... 633,089  
Pulp drying machine, E. G. Johnson..... 632,721  
Pulverizing mill, F. G. Johnson..... 632,949  
Pump, oil, L. Skinner..... 632,982  
Puzzle, R. J. Alpe..... 632,890  
Puzzle, C. H. Bowie..... 633,034  
Rack. See Drain rack.  
Radiator, steam and hot water, Travers & Smith..... 632,974  
Railway crossing, H. Elliot..... 632,976  
Railway crossing gate, L. W. Weed..... 632,734  
Railway fish plate fastening, J. W. Mercer..... 633,101  
Railway switch, N. Z. Norrington..... 632,980  
Railway switch, electric, C. E. Young..... 632,813  
Railway train pneumatic signal, C. Gulland..... 633,068  
Rat trap, W. D. Brown..... 632,844  
Ready reckoner, A. E. H. Payne..... 632,928  
Recorder. See Mail collector's recorder. Time recorder.  
Regulator. See Pressure regulator. Windmill regulator.  
Resawing machine feed works, F. McDonough..... 632,794  
Retort, H. Spurrier..... 632,879  
Roller. See Shade roller.  
Rolling thin sheets of steel or iron in packs, E. Norton..... 632,691  
Roof, W. C. Bates..... 632,825  
Roofing fabric, R. J. Redick..... 632,960  
Rope clamp, J. G. Wardell..... 632,979  
Roasting machine, H. Wolfe..... 632,848  
Rotary engine, Kirby & Crompton..... 632,969  
Rotary engine, J. Putnam..... 632,928  
Rotary power engine, J. L. Piening..... 633,069  
Rotary steam engine, N. W. & W. P. Smith..... 632,850  
Safety hook, W. Miller..... 633,040  
Sampler, G. Betzonic..... 632,864  
Sand drier, T. B. Brown..... 632,763  
Sand washer, drainer, and elevator, F. R. Reed..... 632,694  
Sash cord fastener, R. Bobrisch..... 632,977  
Sash, window, D. J. Vaughn..... 632,807  
Saw clamp, R. S. Brown..... 632,745  
Screw thread cutting die, F. E. Wells..... 632,885  
Sealing device, package, H. M. Hambrich..... 632,755  
Seat. See Adjustable seat. Collapsible seat.  
Sewage, raising, A. Priestman..... 632,968  
Sewing machine shuttle bobbin, J. Conroy..... 632,805  
Shade roller, C. F. Jones..... 632,809  
Sharpening, edge tool, H. Schipke..... 632,755  
Sheet metal blanks, producing tableware from, C. W. Cook..... 632,968  
Shoe holder for polishing, J. T. Brooks..... 632,776  
Sign, illuminated display, C. C. Scott..... 632,882  
Skirt fastening and supporting device, A. R. Foulke..... 632,920  
Skiving machine, H. Bayley..... 632,904  
Skiving machine, B. F. Dunham..... 632,900  
Slate frame, G. W. Mitchell..... 632,821  
Sled, W. A. Hartman..... 633,085  
Smelting furnace, J. V. Otten..... 633,035  
Smoke house, portable, A. Wulf..... 632,855  
Soldering, rattle plate for, W. D. Brooks..... 632,180  
Spectacles, C. E. Mieble..... 633,023  
Spindle and bearing, G. O. Draper..... 632,989  
Spraying machine, M. B. Brooks..... 632,801  
Spring clamp, E. N. La Veine..... 632,729  
Square, folding, J. G. Zuck..... 632,799  
Staple, folding, H. J. Hamill..... 632,715  
Stamp batteries, rifle plate for ore, H. Tuttle..... 632,839  
Steam boiler, S. Lindersmith..... 632,937  
Steam trap, E. E. Gold..... 632,754  
Steam trap, J. J. Royle..... 633,069  
Sterilizer, liquid, E. L. Brewer..... 632,770  
Stoker's fire iron, J. Wezel..... 632,852  
Stopper. See Bottle stopper.  
Stovepipe, H. W. Smith..... 632,790  
Stovepipe and collar holder, C. J. Salter..... 632,818  
Stud setting machine, F. S. Linch..... 632,812  
Surgical bandage, J. Kuyath..... 632,689  
Suspenders, J. Backe..... 632,972  
Switch. See Railway switch.  
Syringe, F. J. Lander..... 632,728  
Table. See Adjustable table.  
Tap and reamer and making same, H. L. Arnold..... 632,862  
Telephone switchboard, F. M. Richter..... 632,709  
Telephone system, S. B. Fowler..... 632,759  
Telephone system, J. C. Slater..... 632,891  
Tennis court marker, H. D. Burnett..... 632,819  
Teredos and other marine growths, apparatus for destroying, J. W. Farley..... 633,016  
Tether, A. Little..... 632,947  
Textile or analogous machines, device for weighting rolls in, F. P. Rand..... 632,947

(Continued on page 207)

## The New System OF EDUCATION

## Electrical Engineering

Mechanical, Steam Civil and Mining Engineering; Architecture; Drawing; Surveying; Chemistry; Shorthand; Book-keeping and English Branches  
**TAUGHT BY MAIL.**  
Over 50 Courses.  
We have helped thousands to better positions and salaries. Send for free circulars, stating the subject in which you are interested.  
THE INTERNATIONAL CORRESPONDENCE SCHOOLS,  
Box 942, Scranton, Pa.

## The Acme Watchman's Time Detector

Our Detector has been on the market for many years, and is recognized by all who have used it as a thoroughly reliable article.  
In mechanical construction and electrical design it stands unequalled. It can be operated by either battery or magnet current.  
It is endorsed by Insurance Companies and Firms of Fire Underwriters.  
The Holtzer-Cabot Electric Co., Boston (Brookline), Mass.  
Sent for Cat. No. 29 S which gives full description of our different styles

## PERFECT - PUMP - POWER.

Is attained only in the TABER ROTARY PUMPS. They are mechanical, simple and durable. Will pump hot or cold fluid, pump thick. Requires no skilled mechanic. Most power at least cost. All parts interchangeable. Made of iron, steel or bronze. Can be driven by belt, motor or engine attachment. Large Illustrated Catalogue Free.  
TABER PUMP CO., 32 Wells St., Buffalo, N.Y., U.S.A.

This is a Wind, Steam, or Horse Power. We offer the WEBSTER 2 1/2 actual horse power GAS ENGINE for \$150, less 10 per cent discount for cash. Built on interchangeable plan. Built of best material. Made in lots of 100 therefore we can make the price. Bored for shipment, weight 800 lbs. Made for Gas or Gasoline. Also Horizontal Engines, 4 to 30 h. p.  
WEBSTER MFG. CO.,  
1074 West 15th St., Chicago.  
Eastern Branch: 38-D Day Street, New York City.  
Southern Agents: Boland & Gschwind Co., Ltd., So. Peter and Lafayette Sts., New Orleans, La.

**SENSITIVE LABORATORY BALANCE.**  
By N. Monroe Hopkins. This "built-up" laboratory balance will weigh up to one pound and will turn with a quarter of a postage stamp. The balance can be made by any amateur skilled in the use of tools, and it will work as well as a \$125 balance. The article is accompanied by detailed working drawings showing various stages of the work. This article is contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1184. Price 10 cents. For sale by MUNN & CO., 361 Broadway, New York City, or any bookseller or newsdealer.

## SAVE YOUR FUEL.

You will find our Gasoline HOISTING ENGINES a great saving over steam and a perfect, economical boon where wood, coal or water are scarce and high-priced. Boats, Pumps and hoists from 6 to 150 H. P. for mines, quarries, docks, etc. Every machine fully guaranteed. Send for free Catalogue and state size of engine wanted.  
Weber Gas & Gasoline Engine Co., 402 S.W. Boulevard, Kansas City, Mo.

## WELL DRILLING Machines

Over 70 sizes and styles for drilling either deep or shallow wells in any kind of soil or rock. Mounted on wheels or on sills. With engines or horse powers. Strong, simple and durable. Any mechanic can operate them easily. Send for catalog.  
WILLIAMS BROS., Ithaca, N. Y.

## MIETZ &amp; WEISS KEROSENE and GAS Engine

The most economical power known. Absolutely safe and reliable. Runs with common kerosene. Perfectly automatic. Patented 1899, U. S. and European countries.  
Send for Catalogues.  
128-132 Mott St., New York.

**THE ELECTRIC HEATER.—A VALUABLE** paper, with working drawings of various forms of the electrical heaters, including electric soldering iron, electric pad for the sick, etc. 6 illustrations. SCIENTIFIC AMERICAN SUPPLEMENT 1112. Price 10 cents. For sale by Munn & Co. and all newsdealers.

## "WOLVERINE" GAS &amp; GASOLINE ENGINES

STATIONARY AND MARINE.  
The "Wolverine" is the only reversible marine gas engine on the market. It is the lightest engine for its power. Requires no licensed engineer. Absolutely safe. Manufactured by  
WOLVERINE MOTOR WORKS,  
12 Huron St., Grand Rapids, Mich

## Buy Telephones

THAT ARE GOOD—NOT "CHEAP THINGS." The difference in cost is little. We guarantee our apparatus to our customers against loss by patent suits. Our guarantee and instruments are both good.  
WESTERN TELEPHONE CONSTRUCTION CO.,  
250-254 South Clinton St., Chicago.  
Largest Manufacturers of Telephones exclusively in the United States.

## "American-Hunnings" TELEPHONES.

Transmitters, Magneto Bells and Telephone Switchboards. Over 200,000 of our telephones in successful operation. Used by War and Navy Departments. In ordering state length of line, whether single line or metallic circuit and number of telephones to be used on one line. Send for catalogue "S. A."  
AMERICAN ELECTRIC TELEPHONE CO.,  
173 South Canal St., Chicago, Ill.

## WILLIAMS' SHAVING SOAPS

## AMERICA'S PRIDE

Williams' Shaving Stick, 25 cents.  
Genuine Yankee Shaving Soap, 10 cents.  
Luxury Shaving Tablet, 25 cents.  
Williams' Shaving Soap (Barbers), Six Round Cakes, 1 lb., 40 cents.  
Exquisite also for toilet. Trial cake for 2c. stamp.  
The J. B. WILLIAMS CO., Glastonbury, Conn.  
LONDON: 64 GREAT RUSSELL ST., W.C. SYDNEY: 161 CLAREMONT ST.

JUST OUT.—Send for List No. 9.—150 Illustrations of  
**CHISELS, GOUGES, CARVING TOOLS, PLANE IRONS, RAZORS, LIGHT EDGE TOOLS.**  
Hand Turning Tools for Metal or Wood. Tools for Manual Training Schools, Laboratories, Model Makers, and all Woodworkers. Razors warranted to give satisfaction in use.  
BUCK BROS. CAST STEEL "Stamped with the Buck's Head."  
BUCK BROTHERS, Riverlin Works, MILLBURY MASS.

**PALMER** Stationary and Marine Gasoline Engines and Launches, Motor Wagon Engines, Pumping Engines.  
Send for catalog.  
PALMER BROS., MIANUS, CONN.

**DON'T LEAVE YOUR KEYS** in the front door. Fasten them to the pocket or waistband with a key chain secured by the Improved Washburne Patent Fastener. Slips on easily, trips like grim death, don't tear the fabric, ransomed instantly. By mail, 25 cents. Catalogue of other novelties, free.  
AMERICAN RING CO., Box P, Waterbury, Conn.

**JUST PUBLISHED.**  
**Mechanical Movements**  
POWERS, DEVICES AND APPLIANCES.

By GARDNER D. HISCOX, M. E.  
Author of "Gas, Gasoline and Oil Engines."  
Large 8vo. 402 Pages. 1649 Illustrations, with Descriptive Text. PRICE, \$3.00.

A dictionary of Mechanical Movements, Powers, Devices, and Appliances, with 1649 illustrations and explanatory text. This is a new work on illustrated mechanics, mechanical movements, devices, and appliances, covering nearly the whole range of the practical and inventive field, for the use of Mechanics, Inventors, Engineers, Draftsmen, and all others interested in any way in mechanics.

—SECTIONS.—  
1. Mechanical Powers.—Weights, Revolution of Forces, Pressures, Levers, Pulleys, Tackle, etc.  
2. Transmission of Power.—Ropes, Belts, Friction Gear, Spur, Bevel, and Screw Gear, etc.  
3. Measurement of Power.—Speed, Pressure, Eight Numbers, Quantities, and Appliances.  
4. Steam Power.—Boilers and Adjuncts.—Engines, Valves and Valve Gear, Parallel Motion Gear, Governors and Engine Devices, Rotary Engines, Oscillating Engines.  
5. Steam Appliances.—Injectors, Steam Pumps, Condensers, Separators, Traps and Valves.  
6. Motive Power—Gas and Gasoline Engines.—Valve Gear and Appliances, Connecting Rods and Heads.  
7. Hydraulic Power and Devices.—Water Wheels, Turbines, Governors, Impact Wheels, Pumps, Rotary Pumps, Siphons, Water Lifts, Ejectors, Water Rams, Meters, Indicators, Pressure Regulators, Valves, Pipe Joints, Filters, etc.  
8. Air Power Appliances.—Wind Mills, Bellows, Blowers, Air Compressors, Compressed Air Tools, Motors, Air Water Lifts, Blow Pipes, etc.  
9. Electric Power and Construction.—Generators, Motors, Wiring, Controlling and Measuring, Lighting, Electric Furnaces, Fans, Search Light and Electric Appliances.  
10. Navigation and Roads.—Vessels, Sails, Rope Knots, Paddle Wheels, Propellers, Road Scraper and Roller, Vehicles, Motor Carriages, Tricycles, Bicycles, and Motor Adjuncts.  
11. Gearing.—Racks and Pinions, Spiral, Elliptical, and Worm Gear, Differential and Stop Motion Gear, Epicycloidal and Planetary Trains, "Ferguson's" Paradox.  
12. Motion and Devices Controlling Motion.—Ratchet and Pawls, Cams, Cranks, Intermitent and Stop Motions, Wipers, Volute Cams, Variable Cranks, Universal Shaft Couplings, Gyroscopes, etc.  
13. Horological.—Clock and Watch Movements and Devices.  
14. Mining.—Quarrying, Ventilation, Hoisting, Conveying, Pulverizing, Separating, Roasting, Excavating, and Dredging.  
15. Mill and Factory Appliances.—Hangers, Shaft Bearings, Ball Bearings, Steps, Couplings, Universal and Flexible Couplings, Clutches, Speed Gears, Shop Tools, Screw Threads, Hoists, Machines, Textile Appliances, etc.  
16. Construction and Devices.—Mixing, Testing, Stump and Pile Pulling, Tackle Hooks, Pile Driving, Dumping Cars, Stone Grips, Derricks, Conveyors, Timber Saws, Roof and Bridge Trusses, Suspension Bridges.  
17. Drafting Devices.—Parallel Rules, Curve Delineators, Trammels, Ellipsographs, Pantographs, etc.  
18. Miscellaneous Devices.—Animal Power, Sheep Shears, Movements and Devices, Elevators, Cranes, Sewing, Typewriting, and Printing Machines, Railway Devices, Trucks, Brakes, Turntables, Locomotives, Gas, Gas Furnaces, Acetylene Generators, Gasoline Mantel Lamps, Fire Arms, etc.

\* Copies prepaid to any address on receipt of price.  
Send for Descriptive Circular.

**MUNN & CO., Publishers,**  
SCIENTIFIC AMERICAN OFFICE,  
361 BROADWAY, NEW YORK.



## Uncle Sam's Examinations



for Civil Service appointments will soon be held in every State. 9,000 appointments last year! Chances even better for appointment this year. The National Correspondence Institute has prepared hundreds of applicants who have received early appointments. Instruction exclusively by mail. Particulars about all Government positions, salaries, dates of examinations, free.

Write to-day.

National Correspondence Institute, Inc.  
28-66 Second National Bank Building,  
Washington, D. C.

### Roper's New Engineer's Handy-Book

for STEAM ENGINEERS and ELECTRICIANS.

Thoroughly revised, rewritten and much enlarged by EDWIN R. KELLER, M. E., and CLAYTON W. PIKE, B. S., Ex-President of the Electrical Section of the Franklin Institute. Embracing all the recent improvements in the Steam Engine and giving full instructions for the CARE and MANAGEMENT of an ELECTRICAL PLANT. Nearly 900 pages, 325 illustrations, over 700 main subjects, 222 tables, and 645 questions most likely to be asked when under examination before being licensed as an engineer.

Full leather, gilt edges, pocketbook style. \$3.50.

DAVID McKAY, Publisher,  
1022 Market St., Philadelphia, Pa.  
Send for Circular.

### A TIGHT GRIP.

The SKINNER PATENT DRILL CHUCK is simple, strong, and accurate. The jaws are of hardened tool steel and are never tested. Is self-centering, self-tightening, most durable. Holds straight or taper shank drills.

Send for catalogue.

SKINNER CHUCK CO., Church St., New Britain, Conn.

HALF A CENTURY OF CYCLES.—AN interesting history of the cycle from its origin up to the present time. The first crank-driven bicycle. The "boneshaker" and its successors. The tricycle. The modern wheel. Cycle building a science. Points of improvement. The pneumatic tire. A band and foot cycle. With 9 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1012. Price 10 cents. To be had at this office and from all newsdealers.

### THE NEW BRISTOL COUNTER



Registers an accurate account of work done on printing presses, grain tallies, weighing, measuring and other automatic machines. Counts up to 1,000,000 and repeats automatically. Simple, accurate, durable. Special counters to order. Send for circular.

C. J. ROOT, Bristol, Conn., U. S. A.

### The Typewriter Exchange

1 1/2 Barclay St., NEW YORK  
124 La Salle St., CHICAGO  
38 Bromfield St., BOSTON  
817 Wyandotte St., KANSAS CITY, MO.  
209 North 9th St., ST. LOUIS, MO.  
432 Diamond St., PITTSBURGH, PA.

We will save you from 10 to 50% on Typewriters of all makes.

Send for Catalogue.

## SO SIMPLE A CHILD CAN USE THEM.

# SUNART CAMERAS

25 STYLES. PRICES FROM \$5.00 to \$50.00.  
SEND 25 CENTS FOR ILLUSTRATED CATALOGUE.  
SUNART PHOTO CO. 5 AQUEDUCT ST. ROCHESTER N.Y.

### THE SCIENTIFIC AMERICAN

## Cyclopedia of Receipts, Notes & Queries


12,500 RECEIPTS. 708 PAGES.

Price, \$5.00 In Cloth; \$6.00 In Sheep; \$6.50 in Half Morocco, Postpaid.

THIS great work has now been on the market for nearly six years, and the demand for it has been so great that twelve editions have been called for.

The work may be regarded as the product of the studies and practical experience of the ablest chemists and workers in all parts of the world; the information given being of the highest value, arranged and condensed in concise form, convenient for ready use. Almost every inquiry that can be thought of, relating to formulae used in the various manufacturing industries, will here be found answered.

Those who are engaged in almost any branch of industry will find in this book much that is of practical value in their respective callings. Those who are in search of independent business or employment, relating to the home manufacture of salable articles, will find in it hundreds of most excellent suggestions.



A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print issued since 1861, will be furnished from this office for 10 cents. In ordering please state the name and number of the patent desired, and remit to Munn & Co., 361 Broadway, New York. Special rates will be given where a large number of copies are desired at one time.

Canadian patents may now be obtained by the inventors for any of the inventions named in the foregoing list, provided they are simple, at a cost of \$40 each. If complicated the cost will be a little more. For full instructions address Munn & Co., 361 Broadway, New York. Other foreign patents may also be obtained.

|                                                            |         |
|------------------------------------------------------------|---------|
| Theatrical appliance, F. S. Lotto                          | 633,018 |
| Thill coupling, A. G. Reigelman                            | 632,926 |
| Threshing machine stacker, A. F. Clark                     | 633,074 |
| Tile, H. Ludeling                                          | 633,019 |
| Tile structure, F. L. O. Wadsworth                         | 632,908 |
| Time recorder, workman's, J. H. Garratt                    | 632,712 |
| Time recorder, workman's, E. L. Thurston                   | 632,907 |
| Tire plugger, bicycle, C. Gifford                          | 632,936 |
| Tire shruiker, M. D. Gould, Sr.                            | 632,938 |
| Tire tightener, C. L. Ferriotti                            | 632,706 |
| Tire, vehicle wheel, T. W. Morris                          | 633,026 |
| Tool feed mechanism, J. E. Maynadier                       | 632,732 |
| Tool holder, F. A. Errington                               | 632,810 |
| Tooth, artificial, J. S. Campbell                          | 633,071 |
| Tooth band, adjustable, M. A. Knapp                        | 632,945 |
| Toy parachute, J. T. Davey                                 | 633,082 |
| Track clearing and drying device, J. Dixon                 | 632,782 |
| Trap. See Rat trap. Steam trap.                            |         |
| Trolley, R. White                                          | 632,772 |
| Trolley wheel, Putnam & Sellers                            | 632,849 |
| Tube expander, W. Q. Pfahler                               | 633,037 |
| Tufting machine, fabric, J. T. Roberts                     | 632,927 |
| Turning implement, J. B. Hupp                              | 632,719 |
| Turning regular hexagons, machine for, W. B. Pearson       | 633,108 |
| Turret operating mechanism, A. Swayse                      | 632,906 |
| Type casting and composing machine, T. Lauston             | 633,088 |
| Typewriting machine, W. H. Hulse                           | 632,718 |
| Typewriting machine ribbon movement, K. Turner             | 632,767 |
| Valve, F. M. Ashley                                        | 632,854 |
| Valve, expansion, A. Wilkinson                             | 632,960 |
| Valve for engines, steam actuated, W. N. Weinman           | 632,931 |
| Valve, inflation, C. B. Robuck                             | 633,106 |
| Vehicle brake and step, combined, N. Burkart               | 632,779 |
| Vehicle, motor, H. J. Lawson                               | 633,014 |
| Vehicle, motor, C. E. Newman                               | 633,032 |
| Vehicles, controlling of electric motor, H. Leitner        | 632,874 |
| Velocipede, E. J. Dunn                                     | 632,809 |
| Wagon and boat, combined, A. C. Peterson                   | 632,741 |
| Wagon box clamp, J. S. & W. T. Gilkey                      | 632,997 |
| Wagon brake, C. B. Stetson                                 | 633,017 |
| Wagon brake, C. B. Stetson                                 | 632,765 |
| Washboard, C. W. Kennon                                    | 633,011 |
| Washboard, J. J. G. C. Schmidt                             | 633,103 |
| Water heating apparatus, Stage & Tarnow                    | 632,854 |
| Wave motor, W. A. Cheney                                   | 632,853 |
| Wave motor, M. E. Rice                                     | 632,826 |
| Weather strip, J. Horsfield                                | 632,922 |
| Weeder, G. B. Davison                                      | 632,961 |
| Weeder tooth, G. B. Davison                                | 632,962 |
| Weighing and cut off apparatus, automatic, Wilkins & Dever | 632,773 |
| Wheel, see Trolley wheel. Trolley wheel.                   |         |
| Whipsocket, E. W. Scott                                    | 632,971 |
| Wick, C. L. Marshall                                       | 632,902 |
| Wick for incandescent oil lamps, C. L. Marshall            | 632,903 |
| Windmill regulator, B. M. Totdahl                          | 632,929 |
| Wool fat into its products, separating, C. Schmidt         | 632,791 |
| Wrapping machine, J. A. L. Barbier-Durozier                | 632,983 |
| Wrench, W. H. Preston                                      | 632,847 |

### DESIGNS.

|                                                   |        |
|---------------------------------------------------|--------|
| Bottle, F. Schilling                              | 31,500 |
| Buckle plate, M. B. Hammond                       | 31,504 |
| Chair, A. Kirkpatrick                             | 31,513 |
| Clock or watch dial, J. L. Clarke                 | 31,501 |
| Corkscrew head, E. Walker                         | 31,505 |
| Dial, W. Northrop                                 | 31,502 |
| Drinking glass, E. Halladay                       | 31,499 |
| Glove fastener stud member, M. D. Shipman         | 31,503 |
| Gutter hanger, W. Heib                            | 31,508 |
| Gutter hanger shank, W. Heib                      | 31,509 |
| Journal for lay boys, B. W. Hall                  | 31,507 |
| Pen, G. Malpass                                   | 31,498 |
| Scale poise, E. Halladay                          | 31,506 |
| Stove, F. A. Magee                                | 31,512 |
| Stove, heating, C. H. Hoffstetter                 | 31,511 |
| Window fastener ratchet bar, W. L. & C. T. Fields | 31,510 |

### TRADE MARKS.

|                                                                                              |        |
|----------------------------------------------------------------------------------------------|--------|
| Apparel, certain named wearing, Spitz Brothers & Mork                                        | 33,452 |
| Bakers' supplies certain named, F. Goetz                                                     | 33,461 |
| Blue, laundry, Lester-Whitney Company                                                        | 33,465 |
| Chemical composition of matter, certain named, Fireproofing Company                          | 33,470 |
| Coffee, B. W. Blauvelt Company                                                               | 33,460 |
| Cotton piece goods, S. A. Crozer & Son                                                       | 33,451 |
| Flour, C. R. Schoolcraft & Son                                                               | 33,462 |
| Footwear, certain named, Parker, Holmes & Company                                            | 33,454 |
| Knit cotton underwear, mercerized, Robert Reis & Company                                     | 33,453 |
| Leather dressing, Milwaukee Chemical Works                                                   | 33,472 |
| Medical compound for the cure of certain named diseases, H. & H. Chemical Company            | 33,466 |
| Medicines for certain named diseases, C. H. Munson                                           | 33,467 |
| Milk, condensed, Consumers Preserved Milk Company                                            | 33,459 |
| Musical instruments and sheet music, E. Sorrentino                                           | 33,450 |
| Non-conducting material for making certain named articles, Firm of C. Sequin-Bronner         | 33,471 |
| Remedy for prevention and cure of hog cholera, H. E. Johnson                                 | 33,468 |
| Salt, table, Diamond Crystal Salt Company                                                    | 33,464 |
| Shoes, E. B. Hafertepren                                                                     | 33,455 |
| Sprays, their parts and attachments, certain named materials for spraying, Spramotor Company | 33,469 |
| Sirup, table, Towle Sirup Company                                                            | 33,463 |
| Tobacco, smoking and chewing, L. A. Clark                                                    | 33,456 |
| Whisky, Wright & Greig                                                                       | 33,457 |
| Wines, certain named, Saarburg Moselle Export, J. C. Schweimler                              | 33,458 |

### LABELS.

|                                                                          |       |
|--------------------------------------------------------------------------|-------|
| "Applegate's Indelible Ink," for ink, Applegate Indelible Ink Company    | 7,126 |
| "Cascaramels," for a medicine, J. P. Sauerwein & Company                 | 7,127 |
| "Climax Dress Plaids," for dress goods, Elmira Cotton Mills Company      | 7,123 |
| "Colorado's Choice, First, Last, and Always," for cigars, J. H. Schaefer | 7,130 |
| "Ferro Plasteroids," for a liquid filler, Z. C. Jaack & Sons             | 7,128 |
| "Game of Go Bank," for a game, McLoughlin Brothers                       | 7,124 |
| "Lady Eve's Face Powder," for face powder, R. O. Blaydes                 | 7,129 |
| "Minneapolis Public School Tablet," for writing tablets, S. H. Mitter    | 7,125 |
| "No. 1 Mocha Java Blend," for coffee, F. Acker & Company                 | 7,131 |
| "No. 2 Mocha Java Blend," for coffee, F. Acker & Company                 | 7,132 |
| "No. 3 Mocha Java Blend," for coffee, F. Acker & Company                 | 7,133 |
| "No. 4 Mocha Java Blend," for coffee, F. Acker & Company                 | 7,134 |
| "The Ketchum Pants Label," for trousers or pants, R. K. Clarke           | 7,122 |
| "Voss Perfection Coffee," for coffee, J. H. Voss & Brother               | 7,135 |

### PRINTS.

|                                                                                                                                                                         |            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| "Fur and Wool Hats," for hats, J. S. Shields & Company                                                                                                                  | 166 to 169 |
| "Game of Battles or Fun for Boys," for a game, McLoughlin Brothers                                                                                                      | 163        |
| "Ladies' Military Trimmed Hats," for hats, J. S. Shields & Company                                                                                                      | 165        |
| "Men's and Boys' Winter Caps," for caps, J. S. Shields & Company                                                                                                        | 164        |
| "Sam, My Boy! I Recommend You to Write for a Free Sample of Kutnow's Effervescent Powder, England's Standard Remedy," for Kutnow's Effervescent Powder, Kutnow Brothers | 170        |

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print issued since 1861, will be furnished from this office for 10 cents. In ordering please state the name and number of the patent desired, and remit to Munn & Co., 361 Broadway, New York. Special rates will be given where a large number of copies are desired at one time.

Canadian patents may now be obtained by the inventors for any of the inventions named in the foregoing list, provided they are simple, at a cost of \$40 each. If complicated the cost will be a little more. For full instructions address Munn & Co., 361 Broadway, New York. Other foreign patents may also be obtained.

## Burst Water Pipes a Thing of the Past




You can now make all water pipes as secure from bursting in winter as in summer. This pneumatic system is the only one which successfully prevents the annoying and costly bursting of water pipes. It has solved a great economic problem. Highly endorsed by Architects, Engineers and Municipal Officials. No new house should be completed without this system, and all house owners should avail themselves of this "ounce of prevention" in season.

Send for Illustrated Booklet, giving full explanation.

THE PNEUMATIC DOME MANUFACTURING COMPANY,  
501 E Street, Northwest, Washington, D. C.

## The Ideal Hunting Shoe



The concentrated product of fifty years of shoemaking skill. Ten inches high. Bellows tongue, uppers gray color, soft as a glove, tough as steel, cannot harden. The best storm-proof shoe ever placed on sale for Klondike miners, surveyors, engineers, and any one requiring perfect foot protection. Thousand of pairs sold to satisfied patrons. *Illus. Catalogue Free.*

M. A. SMITH & SON,  
Manufacturers, 29 and 31 N.  
13th St., Philadelphia, Pa.

## THIS BIG CLOCK



is suitable for Hotels, Stores, Colleges, Schools, Railway Stations, Lodge Rooms, Factories, Offices, etc. It is a superb timepiece and is sold at a much lower price than any large dial clock ever before produced. We also make Time Stamps and Advertising Clocks.

Write for catalogue and prices.

Baird-Chandler Clock Co.,  
137 Clinton St., Chicago.

## PATENTS

50 YEARS' EXPERIENCE

TRADE MARKS  
DESIGNS  
COPYRIGHTS & C.


Anyone sending a sketch and description may quickly ascertain our opinion free whether an invention is probably patentable. Communications strictly confidential. Handbook on Patents sent free. Oldest agency for securing patents. Patents taken through Munn & Co. receive special notice, without charge, in the

### Scientific American.

A handsomely illustrated weekly. Largest circulation of any scientific journal. Terms, \$3 a year; four months, \$1. Sold by all newsdealers.

MUNN & Co., 361 Broadway, New York  
Branch Office, 625 F St., Washington, D. C.

## HARTMAN'S STEEL PICKET FENCE



### A Rare Combination OF BEAUTY AND UTILITY.

Combines in a high degree the qualities of a first-class fence, and beautifies the lawn and surroundings, thereby enhancing the value of the property. Takes up little space, harbors no weeds and is strong and durable. It greatly adds to the attractiveness of Public Grounds, Parks, School Lawns, Church Enclosures, Cemetery Lots, etc. Cheaper than a good wood Picket Fence—Lasts indefinitely. Looks best and is best with our ornamental steel posts. Catalogue, circulars, etc., FREE. Address HARTMAN MFG. CO. Box 69, Ellwood City, Pa. or R 99, 309 Broadway N.Y. City.

## A. W. FABER

Manufactory Established 1761.

LEAD PENCILS, COLORED PENCILS, SLATE PENCILS, WRITING SLATES, STEEL PENS, GOLD PENS, INKS, PENCIL CASES IN SILVER AND IN GOLD, STATIONERS' RUBBER GOODS, RULERS, COLORS AND ARTISTS' MATERIALS.

78 Reade Street, - - - New York, N. Y.  
Manufactory Established 1761.

YOU CAN MAKE \$100 A WEEK!  
OWN YOUR OWN SHOW, COMPLETE OUTFIT—\$100.  
LIFE MOTION FILMS & MACHINES.  
GREAT PASSION PLAY & 500 OTHER SUBJECTS.  
S. LUBIN, LARGEST MFR. PHILADELPHIA, P. A.

## The Pipe of the Century

...THE... "MALLINCKRODT" PATENT

NICOTINE ABSORBENT AND VENTILATED SMOKING PIPE, IS THE ONLY PIPE FIT FOR A GENTLEMAN TO SMOKE.

Bowls of the Best French Brier, exceedingly neat and graceful in appearance, and cost no more than an ordinary pipe. There are no filthy stems to clean, and by a simple and effective construction, the poisonous nicotine juices are thoroughly absorbed before reaching the mouth, and a cool, clean and healthy smoke thereby assured. Money refunded if not satisfactory. Over 100,000 sold in 1898 alone.

Send for Illustrated Circular "S. A." and prices.

THE HARVEY & WATTS CO.,  
275 Canal Street, N. Y. Station E, Philadelphia.

## THE ONLY CAMERA FOR ALL PURPOSES

PRICE \$5 TO \$50. PURPOSES IS

FOR CATALOGUE, SEND TO

## ROCHESTER OPTICAL CO.

30 SOUTH ST. ROCHESTER, N.Y.

## WANTED.

WANTED Machinery Salesman to sell for an old established machinery manufacturer in replying give age and experience. C. B. Box 773, N. Y.

WANTED—One Pulley Lathe, new or second hand, preferably 50 inch. Palmetto Fibre Co., Frederick, Md.

PATENT FOR SALE.—Clamp for Violin Strings. Address JOHN B. MAHONEY, ATTON, MINN.

Meat Smoker Patent For Sale—No. 549,017. Works perfectly. Apply to James E. Prewitt, Winchester, Ky.

Send for Circular "M."

## TURBINES

JAS. EFFEL & CO.  
Springfield, Ohio, U. S. A.

## ICE MACHINES, Corliss Engines, Brewers' and Bottlers' Machinery.

THE VILTER MFG. CO., 899 Clinton Street, Milwaukee, Wis.

## STENCIL WORK

TYPE WHEELS, MODELS & EXPERIMENTAL WORK, SMALL MACHINERY NOVELTIES & ETC. NEW YORK STENCIL WORKS 100 NASSAU ST. N.Y.

## RAILWAY APPLIANCES

Introduced and Manufactured Abroad.

Persons controlling patents for railway appliances of recognized merit for track signalling or rolling stock, desiring to have them manufactured and introduced in Great Britain or British possessions in South Africa, India, and Australia, or in Egypt, can make favorable arrangements with a long established British manufacturer of such appliances, well known to railway managers in those countries. Address

B. D. HASELL & CO., 66 Pine Street, New York.

## Models and Experimental Work

Inventions Developed. Special Machinery.

E. V. BAILLARD, 106 Liberty Street, New York.

## GAS AND GASOLINE ENGINES

### WATER MOTORS

BACKUS WATER MOTOR CO. NEWARK N. J. U. S. A.

## HOW TO MAKE AN ELECTRICAL

Furnace for Amateur's Use.—The utilization of 110 volt electric circuits for small furnace work. By N. Monroe Hopkins. This valuable article is accompanied by detailed working drawings on a large scale, and the furnace can be made by any amateur who is versed in the use of tools. This article is contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1182. Price 10 cents. For sale by MUNN & Co., 361 Broadway, New York City, or by any bookseller or newsdealer.

## MORAN FLEXIBLE JOINT

for Steam, Air or Liquids.

Made in all sizes to stand any desired pressure. Send for reduced price list.

Moran Flexible Steam Joint Co., Inc'd  
147 Third Street, LOUISVILLE, KY.

## ACETYLENE GAS AND CARBIDE OF Calcium.

All about the new illuminant, its qualities, chemistry, pressure of liquefaction, its probable future, experiments performed with it. A most valuable series of articles, giving in complete form the particulars of this subject. Details of furnaces for making the carbide, gas generators, gasometers, burners, etc. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 998, 1004, 1007, 1012, 1014, 1015, 1016, 1022, 1035, 1038, 1037, 1064, 1071, 1072, 1082, 1083, 1084, 1104, 1124, 1132, 1149 and 1150. Price 10 cents each, by mail, from this office, and all newsdealers.

## Brass Band

Instrumental, Drums, Uniforms & Supplies. Write for catalog, 445 illustrations. FREE! It gives Music and Instructions for New Bands.

LYON & HEALY, CHICAGO.

\$525 Agent's profit per month. New articles. Fast sellers, most profitable employment. A \$1.50 sample and terms free. Try us.

Electrograph Co., 28 Bond St., N. Y.

## \$3 a Day Sure

Send us your address and we will show you how to make \$3 a day absolutely sure; we furnish the work and teach you free; you work in the locality where you live. Send us your address and we will explain the business fully; remember we guarantee a clear profit of \$3 for every day's work, absolutely sure, write at once.

ROYAL MANUFACTURING CO. Box 11, DETROIT, MICH.

## AGENTS MAKE \$10 DAILY

selling Neely's thrilling photographs of actual battle scenes—"FIGHTING IN THE PHILIPPINES," 100 vivid half-tone photographs from Manila, 2x8 inches. "OUR NEW POSSESSIONS," the best collection of 160 photographs of the Dewey Islands, Porto Rico and Cuba. Outfit either album, including complete copy free for 12 cents, coin or stamps; both albums 20 cents. Order quick, avoiding unnecessary correspondence. Money refunded if not satisfactory. Must be seen to be appreciated. SIX MILLION books issued yearly—Catalogue Free. Authors' MANUSCRIPTS Promptly Examined.

F. TENNYSON NEELY, Publisher,  
259 Wabash Ave., Chicago. 114 Fifth Ave., New York.

## Planning the New Home

Anyone contemplating the building of a new home will find the Building Edition of the Scientific American

of peculiar and absorbing interest. This beautiful publication is issued monthly, and contains practical articles and suggestions on modern house building, together with a series of splendid plates, showing perspective views and floor plans of the most up-to-date modern dwellings, estimated cost, etc. A single issue of this handsome periodical is often worth the year's subscription price to the intending builder. Write to-day and send 25 cents for a single copy, or \$2.50 for annual subscription.

MUNN & CO., Publishers, 361 Broadway, New York.





**THOROUGH INSPECTIONS**


AND INSURANCE AGAINST LOSS OR DAMAGE TO PROPERTY AND LOSS OF LIFE AND INJURY TO PERSONS CAUSED BY

**STEAM-BOILER EXPLOSIONS**

HARTFORD STEAM BOILER INSPECTION AND INSURANCE CO. CONN.

J. M. ALLEN, PRESIDENT W. B. FRANKLIN, VICE PRESIDENT  
J. B. PIERCE, SECRETARY F. B. ALLEN, 2ND VICE PRESIDENT  
L. B. BRAINERD, ASST. TREAS. L. F. MIDDLEBROOK, ASST. SECRET.

## The Greatest Luxury To-Day



is a ride in an Automobile. There are many makes, but none to equal or surpass the

### Winton Motor Carriage

You can control it by simple directions, regulate the speed yourself and be always safe. It is a glorious means of conveyance. Durable, elegant, safe and economical. Hydro-carbon system. Catalog sent on request.

THE WINTON MOTOR CARRIAGE CO., Cleveland, Ohio.

## Why Pay Freight on Water?

Edison's Ink Concentrates.

### "The Wizard's Powder."

Fifty per cent. cheaper and fifty per cent. better than other inks. These tablets (each make 1 oz.) dissolved in water produce a first-class blue black writing fluid that cannot be removed with chemicals and takes good copy. Agents send 10 cents for enough to make 5 oz. Three colors. Get proposition, make an ink route.

EDISON CHEMICAL CO., P. O. Box 2397, NEW YORK.

**FACTORIES**

are appreciating the

**Charter Gas and Gasoline Engine**

Proof from nearly every State and Territory of the Union, by addressing

CHARTER GAS ENGINE CO., Box 148, STERLING, ILL.

**Scales** All varieties at lowest prices. Best Railroad Track and Wagon or Stock Scales made. Also 1000 useful articles, including Saws, Sewing Machines, Bicycles, Tools, etc. Save Money. Lists Free. CHICAGO SCALE CO., Chicago, Ill.

**Buy Bicycle Supplies**

of Manufacturers.

**50 per cent. Off**

Every known make, style, size of Bicycle Parts and Tires supplied at Wholesale Prices to both

Dealers and Consumers.

Send for Bargain List illustrated.

B'way Bicycle & Sundry Mfg. Co.  
B'way & Lispenard St., N. Y.

**FINE GREY IRON CASTINGS.**

Art Castings in Iron, Stove Plate, Light and Medium Weight Machinery Castings, Cored Work. Pattern Makers, Machinists, Japanning, etc. **The Hopson & Chapin Mfg. Co.,** Pequot Foundry and Machine Wks., Hamilton, Oak & Howard Sts., New London, Conn.

**HAVE YOU TRIED A "SHOCKO"?**

\$1.

This perfect and complete medical battery seems impossible at the low price of \$1. Current can be regulated to suit. Every boy wants one for instruction and amusement. Invalids find it invaluable for home treatment. Mountings are neat, apparatus efficient. Dry cell will last from six months to a year. Ask your dealer or send direct. By mail 20c. add 1¢ in U. S. Stamp brings catalogue of other novelties. **Agents Wanted.**

Knapp Electric & Novelty Co., 131 White St., New York.

## A COMPLETE ELECTRICAL LIBRARY


By PROF. T. O'CONOR SLOANE.

AN INEXPENSIVE LIBRARY OF THE BEST BOOKS ON ELECTRICITY.

For the Student, the Amateur, the Workshop, the Electrical Engineer, Schools and Colleges.

Comprising five books, as follows:

Arithmetic of Electricity, 138 pages. - \$1.00  
Electric Toy Making, 140 pages. - 1.00  
How to Become a Successful Electrician, 189 pp. 1.00  
Standard Electrical Dictionary, 682 pages. - 3.00  
Electricity Simplified, 158 pages. - 1.00



5 Volumes for \$5.00

The above five books by Prof. Sloane may be purchased singly at the published prices, or the set complete, put up in a neat folding box, will be furnished to readers of the SCIENTIFIC AMERICAN at the special reduced price of Five Dollars. Send for full table of contents of each of the above books, also for our complete book catalogue of 116 pages, containing references to works of a scientific and technical character, free to any address.

**MUNN & CO., Publishers,**  
361 BROADWAY, NEW YORK.



Ralph Waldo Emerson, in his Essay on Eloquence said in speaking of a man whom he described as a Godsend to his town. "He is put together like a Waltham Watch."

## "PEGAMOID" ALUMINUM PAINT.

Latest application of Aluminum. Looks like Frosted Silver. Washable. Untarnishable. Water, Oil and Weatherproof. Durable. Easily Applied. Bicycles, Yachts, Radiators, Pipes, Metal Work, Machinery, Dynamos, Motors, Apparatus, Arc Lamps, Sockets, Brackets, Cars, Stations, General Decoration, etc. Sample bottle, by mail, for 25 cents.

THE AMERICAN PEGAMOID CO., 339 B'way, New York.

## EAU CLAIRE, WIS.

THE CITY OF EAU CLAIRE, WISCONSIN, OFFERS SPECIAL INDUCEMENTS, IN THE NATURE OF REBATE OF TAXES, FOR PERIOD OF FIVE YEARS FOR THE LOCATION OF MANUFACTURING INDUSTRIES.

CORRESPONDENCE SOLICITED. ADDRESS

T. P. COCHRANE,  
CITY CLERK.

**Strength**

at every point of Construction makes the

**Remington Typewriter**

The most Durable & Reliable of Writing Machines.

Wyckoff Seamans and Benedict  
327 Broadway, New York, N. Y.

**BEST BICYCLE BRAKE**

All cyclists, whatever wheel they ride, should have attached the Latest and Best Automatic Coaster and Brake.

**THE TREBERT BRAKE**

is composed of a friction disk secured to the hub of rear wheel, a clutch on the disk and a clutch on the rear sprocket wheel. Both clutches have inclined surfaces upon which balls roll. When the bike chain is pulled forward, the balls also move forward and ride up their incline. Back pressure to pedals produces reverse motion. Free booklet of particulars. Made only by the

**Trebert Automatic Coaster and Brake Co. SYRACUSE, N. Y.**

The Light is Right.

**The BUNDY LAMPS**

THE ONLY PERFECT ACETYLENE GAS LAMPS

For Bicycle, Carriage, Physicians, Fire Departments, and Headlights. Efficient, easily changed and operated. Water absolutely controlled. Gives pure, dry gas. Manufactured by

**The Frank C. Bundy Lamp Co.**  
Elmira, N. Y., U. S. A.

(See Illustrated editorial in SCIENTIFIC AMERICAN, April 15, 1899.)

Weight, 9 1/2 ounces. Acetylene Gas Operating Lamp, for Physicians and Surgeons.

**RUST PREVENTED**

ON GUNS, TOOLS, BICYCLES, ETC.

**HIGH GRADE WOOD WORKING MACHINERY**

Single Machines or Complete Equipments for Any Class of Work.

Your Correspondence is Solicited. Illustrated Matter and Prices on application.

**J. A. FAY & CO.**  
10-30 John St., CINCINNATI, OHIO

**PAYS** to write for our 256-page free book. Tells how men with small capital can make money with a Magic Lantern or Stereopticon.

**McALLISTER, Mfg. Optician, 49 Nassau St., N. Y.**

**Bicyclers Buy The Best.**

Ever hear of the "Light That Failed"? Most wheelmen have experienced this with their lamps before they began to use the

**"EVERLIT" BICYCLE LAMP**

No disappointment, no light failing them. The "Everlit" is reliable in every way. It is all brass except hanger, is 5 1/4 inches high, weighs 13 ounces. It is easy to clean, easy to regulate. The flame can be regulated from either side of lamp. Embossed fount packed with cotton. Burns kerosene oil. This lamp always gives a clear, steady, penetrating light. Fine nickel finish.

Illustrated Catalogue "S. A." free for asking.

**Edward Miller & Co. Factories and Salesrooms, Meriden, Conn.**

STORES: 28 & 30 West Broadway, NEW YORK. 63 Pearl St., BOSTON.

Manufacturers of "Royal" Bells and "Majestic" Gas Lamps.

## HIGH GRADE FOOT POWER LATHES

W. P. DAVIS, ROCHESTER, N. Y.

**ASBESTOS FIRE- FELT COVERINGS**


PURE ASBESTOS. ABSOLUTELY FIRE PROOF. REPLETE WITH AIR CELLS. PERFECT NON-CONDUCTORS. STRONG, LIGHT, FLEXIBLE. EASILY APPLIED.

MADE IN SECTIONS THREE FEET LONG. FIT STANDARD PIPE 1/2 INCH TO 16 INCHES.

**N. W. JOHN'S MFG CO.**  
NEW YORK - CHICAGO - PHILADELPHIA - BOSTON

ASBESTOS MATERIALS. LIQUID PAINTS & STAINS. ROOFING MATERIALS. ELECTRICAL MATERIALS.

## A MILE A MINUTE ON A Tribune Bicycle!



Yes even in less than a minute was the marvelous time made by C. M. Murphy on a Tribune Blue Streak, Model 450, paced by a locomotive. No bicycle has ever been ridden as fast as a Tribune. It is the best and fastest wheel in the world.

Write for Catalogue.

**The Black Mfg. Co., Erie, Pa.**

**Snake Watch Chain**

Latest Vienna novelty. Made of highly polished GUN STEEL. Not a link is visible, but so flexible it can be wound round the finger. Smooth as satin but very strong. Your jeweler never saw anything like it. Have sent thousands all over the world. Worn by New York's best dressers. Everybody that sees them wants one. A wonderful specimen of fine workmanship. Men's chain, \$1. Ladies' long-gnette chain (47 inches long) \$1.25. Sent on receipt of price. Money returned if not satisfactory.

**Henry Doyle, Importer of Novelties, 621 B'way, N. Y.**

## PRATT'S PATENT POSITIVE DRIVE DRILL CHUCKS.

Impossible for Drills to slip when held by them. Send 2 cent stamp for Illustrated Catalogue.

**THE PRATT CHUCK CO., Frankfort, N. Y., U. S. A.**

**A Handsome Watch Charm**

or Scarf Pin with the head and bust of DEWEY. Made from steel taken from the Battleship "Maine." Watch Charm has gold plate rim. U. S. Government certificate accompanies each article, 25 cents each, postpaid. Money refunded if not satisfactory.

**W. F. DOLL MFG. CO.,**  
9 Maiden Lane, New York.  
Sole Manufacturer of Maine Steel Novelties.

**PIERCE**

WATER, OIL and GAS WELLS.

Manufacturers of Machinery for Mineral Prospecting, Test Borings, 10 to 5,000 feet deep. Largest experience, best line, highest grade in America. Send for Catalogue, 200 engravings. State what is wanted.

**Acetylene Burners.**

D. M. Steward's Patent for House Lighting and Bicycle Lanterns.

**State Line Talc Co., Chattanooga, Tenn.**

You spend thousands on coal bills—but how much to save the steam? Want to know more about it?—Ask for our booklet "H" on the HEINTZ STEAM TRAP.

**WILLIAM S. HAINES CO.,**  
136 South Fourth St., Philadelphia, Pa.

## Experimental Science

By GEO. M. HOPKINS.

20th Edition Revised and Enlarged.

914 Pages, 820 Illustrations.

Price \$4.00 in cloth; \$5.00 in half morocco. postpaid

THIS is a book full of interest and value for Teachers, Students, and others who desire to impart or obtain a practical knowledge of Physics. It has influenced thousands of men in the choice of a career. It will give anyone, young or old, information that will enable him to comprehend the great improvements of the day. It furnishes suggestions for hours of instructive recreation.

Send for large Illustrated Circular and complete Table of Contents.

**MUNN & CO., Publishers,**  
Office of the SCIENTIFIC AMERICAN,  
361 BROADWAY, NEW YORK.

## PRINTING INKS

The SCIENTIFIC AMERICAN is printed with CHAS. ENEU JOHNSON & CO.'S INK, Tenth and Lombard Sts., Philadelphia, and 47 Rose St., opp. Duane, New York